

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

1

CalShuttle - The Future of Bay Area Transit



Waymo 6th-generation robotaxi - based on a body by China-based Geely/Zeekr
(Image courtesy of Waymo - <https://waymo.com/blog/2021/12/expanding-our-waymo-one-fleet-with>)

GM Cruise Origin - One of many autonomous EV shuttles in development.
(Image Courtesy of Cruise LLC - <https://www.getcruise.com/technology>)



Amazon-owned Zoox Robotaxi - Another autonomous EV shuttle in development.
(Image courtesy of Zoox - <https://zoox.com/vehicle/>)



Presto driverless shuttle beginning operation at Bishop Ranch business park in spring 2023.
(Image courtesy of Contra Costa Transit Authority - <https://patch.com/california/sanramon/bay-areas-first-autonomous-shuttles-debut-bishop-ranch>)

CalShuttle - The Future of Bay Area Transit

- 1 2033: Your Neighborhood is your Transit Station 4**
- 2 CalShuttle: On-demand, point-to-point, fast, 24-hour shuttle rapid transit..... 5**
 - 2.1 On-demand..... 5
 - 2.2 Point-to-point or pickup-to-dropoff locations..... 5
 - 2.3 Fast..... 5
 - 2.4 24-Hour Availability..... 5
 - 2.5 Safe travel 6
 - 2.6 Resilient 6
 - 2.7 Robustly Redundant..... 6
 - 2.8 Scalable Down and Up..... 6
 - 2.9 Easy Boarding..... 6
 - 2.10 Personal autonomous vehicles 6
- 3 CalShuttle Impacts..... 7**
 - 3.1 Reduces vehicle traffic counts, traffic congestion, and energy usage. 7
 - 3.2 Minimizes infrastructure costs through reuse of existing street network. 8
 - 3.3 Eliminates the need for more highway or bridge construction. 8
 - 3.4 Reduces or eliminates household car ownership cost..... 8
 - 3.5 Reduces passenger, pedestrian, cyclist, motorcycle injuries and death..... 9
 - 3.6 Improves mobility and employment for our older and disabled residents..... 9
 - 3.7 Enables converting street parking spaces, parking lots and garages to other uses. 9
 - 3.8 Eliminates the need and cost for corporate shuttle buses. 9
 - 3.9 Enables productive activities or resting while shuttling. 9
- 4 CalShuttle agency and private vendor shuttles..... 10**
- 5 Cost-Effective Implementation and Operation..... 11**
 - 5.1 Implementation Costs, Savings, and Shift to Private Vendors. 11
 - 5.2 Operational Costs, Savings, and Fares..... 11
- 6 CalShuttle - The Future of Bay Area Transit. 13**
 - 6.1 Advocacy 13
 - 6.2 ... AND Prediction 13
 - 6.3 The beginnings of a Bay Area-wide network 14
 - 6.4 Even Longer Distances 14
 - 6.5 Timeframe: Early 2030s. 14
 - 6.6 Risks and Challenges 17

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

3

- 6.6.1 Current studies 17
- 6.6.2 Parallels with newfangled automobiles in the 1900s..... 17
- 7 Changes in Government Approaches: Cost Savings and Questions..... 18**
 - 7.1 Replaces Caltrain commuter operations AND reduces commuter traffic. 18
 - 7.2 Retains some Caltrain capacity..... 18
 - 7.3 Eliminates the cost of Caltrain Corridor grade separations and DTX. 18
 - 7.4 Replaces the Dumbarton extension between Redwood City and Union City. 19
 - 7.5 Replaces the VTA BART extension in Santa Clara County..... 19
 - 7.6 Replaces SamTrans and VTA commuter operations..... 19
 - 7.7 Retains some SamTrans and VTA bus and light rail capacity..... 19
- 8 The Analysis 20**
 - 8.1 Scope: San Francisco-San Mateo-Santa Clara Travel 20
 - 8.2 Legend..... 20
 - 8.3 Comparisons to Other Studies 20
 - 8.4 The Tables..... 21
 - 8.4.1 Notes for the Tables 24
 - 8.5 VTA BART Extension..... 29
 - 8.5.1 Conclusion: 55,000 daily riders served by 1500 or fewer shuttles 29
 - 8.5.2 Notes 29
- 9 Terminology and References 30**
 - 9.1 Terminology..... 30
 - 9.2 References..... 30
- 10 Version History 64**

1 2033: Your Neighborhood is your Transit Station

Mark steps from the curb into shuttle 4192 on Keesling Avenue in the Willow Glen neighborhood of San Jose. He waves to Sharon and George already on the shuttle. He puts on his seat belt. The shuttle silently drives two blocks to Phantom Avenue, where Julie enters and sits down. Everyone nods to Julie - they often see each other on this shuttle excursion.

Usually Julie is the last pickup. But not today. This shuttle drives around the block to Norman Avenue and picks up Greg. Introductions happen all around. Greg is new to Willow Glen, and this is his first CalShuttle shuttle ride.

The shuttle continues down Norman to Hamilton, merges without stopping with other shuttles traveling west, and onto 17, towards 280, 85, and exits 101 at Shoreline.

During the ride, Sharon and George seem to be already "at work" on their laptops, Julie is dozing, and Greg is busy with on his phone.

Usually Mark would have his attention captured by his laptop in preparation for his day, but not today. Today he is recalling how commuting has changed with CalShuttle.

Mark's overall commute time is a little less than it used to be, and much more relaxing and productive. The coordinated shuttle transit makes for a faster commute and had more than made up for the additional time for the short wait near home and picking up and dropping off passengers. And there are no intermediate stops or waiting to transfer as with fixed schedule / fixed route public transit.

Along La Avenida, the shuttle drops off Greg at Starbucks near his work and Sharon and George at the Microsoft campus. The shuttle turns around, crosses 101, along Middlefield drops off Julie at the county Social Services Agency, and turns into Crittenden Middle School along Rock Street.

As he arrives at the middle school, Mark again realizes that the shuttle drops him off closer to his classroom than when he parked further away in the parking lot. He also again notices that half the parking lot has been repurposed as a community garden. The other half still provides parking for faculty and staff that on occasion use their own autonomous vehicles to run multiple errands after school, and for CalShuttle charging stations.

Mark watches the shuttle leave to begin its next roundup of three to five passengers in adjacent Mountain View neighborhoods for drop-offs at other job centers.

2 CalShuttle: On-demand, point-to-point, fast, 24-hour shuttle rapid transit.

The commuting scenario above introduces CalShuttle, the organizational name for Bay Area shared Robotaxis. Related generic terminology includes microtransit, shared autonomous vehicles (SAVs), mobility as a service (MAAS), and transportation as a service (TAAS).

This section presents the key characteristics of CalShuttle. Later sections describe: impacts; the CalShuttle agency; capital and operational implementation costs and schedule; future expansions; the supporting analysis; and references.

"It is anticipated that AVs will increase safety and comfort ..., and reduce traffic congestions, pollution, fuel consumption, as well as facilitate further the mobility accessibility to disabled and older people. Also, self-driving will decrease the number of accidents and crashes through the vehicle to vehicle communication." Additional benefits include: control of traffic flow, maximize intersection capacity; minimize bottlenecks; comfort and entertainment services; mobility for those unable to drive; and travel speed increase. [Bezai2019a]

Overall, CalShuttle will provide a better transit solution than fixed-route, scheduled options. [Leich2019a]

2.1 On-demand

Using a smartphone, computer, land-line phone, a simple, single-purpose handheld device, or a kiosk on major streets, each rider will request a pickup at or near their location and specify a destination. Pickups will usually occur within 5 minutes.

During commute hours, algorithms will gather riders from nearby pickup locations that have destinations near each other. The algorithms will assure an average 4 riders per trip during commute hours and a 2 riders per trip in weekday non-commute hours, Saturdays, and Sundays.

2.2 Point-to-point or pickup-to-dropoff locations

Travel will be point-to-point or nearly so with no transfers. Pickup and dropoff will be at or near to each rider's location and destination, often right at the desired address. The solution for the first mile-last mile issue is built-in. [Wiseman2019a]

2.3 Fast

CalShuttle will reduce the total number of vehicles on the road and so will reduce or eliminate traffic congestion which slows down travel. Shuttles will operate at highway speeds on freeways because CalShuttle's overall vehicle reductions will eliminate freeway traffic jams. [Chakravarty2020a, Torchinsky2020a]

CalShuttle will be fast also because the shuttles will be interconnected and aware of each other, so they can accelerate and decelerate in a coordinated fashion. Some slowdowns will occur when a non-autonomous vehicle is detected and the autonomous shuttles allow extra separation for safety. [Adams2020a]

2.4 24-Hour Availability

Without human drivers, Shuttles will be provide the same on-demand point-to-point service 24 hours per day, 7 days per week. This provides anytime service for riders who need to work late at night or early in the morning. This also provides transportation for evening and late-night drinkers; DUI incidents will be nearly eliminated.

2.5 Safe travel

Interconnected shuttles aware of each other will enable them to cross each others' paths without collisions, and to maintain extra distance from non-autonomous vehicles. Shuttles will have crumple zones to protect passengers. Extra safety is provided by seat and shoulder belts. [Adams2020a]

As autonomous computer-driven vehicles, Shuttles will always be paying attention, eliminating accidents due to human driver fatigue, distraction, or medical incidents. Algorithms will detect and avoid other vehicles, pedestrians, bicycles, and animals as well as human drivers do. [Waymo2020a]

Shuttle algorithms will include awareness of the algorithms' own limitations. If a Shuttle does not know how to handle a situation, it will simply stop safely until remote or on-location assistance can be applied. Studies are underway to account for "maximum acceptable risk" to address this characteristic. [Geisslinger2023h]

As contagious diseases continue, close proximity to just 3 to 5 people in a shuttle should be generally safer than to dozens or more on a bus or a train. As supply and demand shift with regulated social distancing measures, microtransit can respond in real-time. On-demand technology allows fixed routes to morph into dynamic lines, managing peak travel times, pre-booking seats, and accommodating evolving safety practices. [Via2020c]

2.6 Resilient

When an accident or disaster occurs, Shuttles will be inherently resilient. Shuttles can be routed around accident locations or damaged roadways. Shuttles will be battery and fuel-cell powered, and able to continue operation for a period of time while charging and refueling are not available. Solar power and industrial-scale batteries can provide a partial level of power for recharging and refueling, as well as hydrogen extraction from Bay seawater.

2.7 Robustly Redundant

Shuttles will automatically make selections among multiple routes, and adjust those selections as traffic conditions change, to arrive as quickly as possible at the destinations. When a Shuttle breaks down, an unassigned replacement Shuttle will be nearby to offload the passengers to resume their journey.

2.8 Scalable Down and Up

As demand varies due to weather, disease, holidays, seasons, and other factors, service availability will automatically scale to match the demand. There will be minimal need to adjust CalShuttle and shuttler operator personnel schedules, except at charging stations and maintenance facilities.

This will become more important as commuting worker demand reduces, with hybrid work-from-home options and 4-day workweeks become the norm. In 2022, it is already difficult for fixed schedule, fixed route transit such as Caltrain, BART, and VTA to maintain sufficient ridership to be viable. [Thompson2022a]

2.9 Easy Boarding

The shuttle floor will be close to curb height, enabling near-level boarding for everyone. Some on-request Shuttles will have ramps, to ease the onboarding of suitcases, walkers, and wheelchairs. [Priddle2020a]

2.10 Personal autonomous vehicles

Many families will choose to own at least one private autonomous vehicle, for more complex non-commuting trips, such as transporting kids to group activities and shopping trips with multiple stops.

3 CalShuttle Impacts

"There are premises to suspect that introducing autonomous and connected vehicles may revolutionize the whole transportation area. Thanks to self-driving cars, disabled people, elders or people without valid driver's license, could safely travel to long distances. ... Public and private transportation may change as well, taxis and buses may be replaced by cars on-demand, shared among many passengers, being in motion almost all the time, instantly picking people up on call ... reduce demand for parking places and improve space utilization in urban areas - the need for parking space in the United States may be reduced by more than 5.7 billion square meters ... reduced demand for parking may reduce number of cars driving in the city center (it is estimated that 30% of traffic congestion in downtown areas in big cities is generated by vehicles cruising for unoccupied parking spot ... Passengers will be able to spend their travel time working or relaxing." [Gora2016a]

"In addition, ... cars could potentially exchange information about their positions, speeds, routes, plans for changing speed or lane, turning, stopping. ... It is estimated that self-driving cars could reduce the number of accidents by 90%, saving many lives and yearly about \$190 billion in U.S. ... The self-driving revolution is expected to be the greatest thing to happen to public health in the 21st century ..." [Gora2016a]

Passengers typically must use another means of transportation to arrive at a union station; whereas when using driverless cars there is no need for the hassle of these connections. As a result, driverless cars will gradually take control of the transportation market. As more and more driverless cars are on the roads, the union stations will slowly but surely fade away from our lives." [Wiseman2019a]

[Shuttle] pooling is the answer to: ameliorate traffic congestion; reduce climate change; social equity; reduce soaring transportation infrastructure costs. [Sperling2018a] Automated connected shuttles (ACSs) can deliver significant improvements in travel delays, energy consumption, and emission reductions. [Akter2021a] A fleet size of 1 SAV per 14 affected people with 5-seat vehicles is the most effective in transporting people to larger buses in an emergency situation. [Lee2022]

"AVs could fundamentally change the way transportation networks are designed AV adoption could shape the future of public transit, climate emissions ... and access to opportunity." [Bagdoll2024a, Chen 2024a, MTC2021j]

3.1 Reduces vehicle traffic counts, traffic congestion, and energy usage.

The San Francisco-Peninsula Commute case study (Table 8-1 based on Table 9-1) shows commute period Vehicle counts (Conventionals and Shuttles) with these impacts:

- 31,354 Shuttles will reduce commute periods vehicles on the road by 468,000 or 46% of commuter vehicles and therefore will reduce traffic congestion.
 - This ratio of 1 Shuttle to 15 vehicles reduced aligns with ratios of 5 to 20 from other studies. [Fagnant2014a, Hogeveen2021a, Manders2020e, Othman2022b, Pizarov2021a, Shaheen2020a]
- Studies show that replacing all and bus trips by fleets of shared automated taxis and shuttle busses would result in: 90 per cent or more fewer vehicles, and 37 per cent fewer kilometers traveled by the vehicles. [Manders2020e, Shaheed2018b]
- Smaller reductions will result during weekday non-commute hours and weekends.
- These reductions apply even though CalShuttle also includes the commuters currently using the commuter periods services of Caltrain, SamTrans buses, and VTA buses and light rail.

Shuttles will reduce congestion generated by vehicles cruising for parking spaces, estimated to be as much as 30 percent of traffic congestion [Gora2016a, Houssain2026a, Park 2021a, Pizarov2021a, Wiseman2017a]

"Reducing human reaction times and the subsequent traffic waves, can reduce total fuel consumption by up as much as 40 percent." [Bagdoll2024a, Golomb2021a, Othman2022b].

One simulation for Milan reports comparable results:

- 30% usage of 9,500 robotaxis, a 33% acceptance rate of current car users, and 10% peak demand decrease would eliminate traffic congestion (page 5).
- 6-seater robotaxi vehicles with an average of 4 passengers per trip at an average of 25 mph should result in an acceptable 10-minute extra travel time (Figure 7). [d-line2018a]

3.2 Minimizes infrastructure costs through reuse of existing street network.

Our Bay Area streets, expressways, and highways will become our transit network - like subways just not underground, without having to change trains, and departing and arriving close to any destination.

3.3 Eliminates the need for more highway or bridge construction.

Significantly reduced commuter vehicle counts will eliminate the need for more lanes on existing highways as well as eliminate the need for carpool diamond lanes and fee-based express lanes. The need for a new Southern Crossing bridge from Highway 380 to Highway 238 will also be eliminated. [Park2021a]

3.4 Reduces or eliminates household car ownership cost.

"Regardless of the household's income bracket, there seems to be wide consensus in favoring SAVs as they are expected to turn out to be the most affordable alternative." "SAV service boasting low added travel time on shared rides can attract several riders, and when used in tandem with smart pricing to cater to the distribution of WTP, it can be an effective service." [Gurumurthy2020a]

"Due to the high capital costs, but low maintenance and operating costs compared to traditional cars, automated electric vehicles will be more interesting to share rather than to own." [Manders2020e]

"Uber plans to [make] the cost of [driverless] rides so low (between its fleet of human and robot cars) that vehicle ownership becomes obsolete." [Shetty2020a]

Households typically own one car and often two or more. CalShuttle will enable each household to choose to own and maintain at least one less car. For these three counties, assuming 25% of single-car households and 50% of households with two or more cars each reduced by one car, about 500,000 fewer vehicles will be privately-owned. [Census2019a / Table 9-2, Keeney2017a, Martin 2011a, Othman2022a, Shaheen2020a]

Household automobile insurance premium costs will reduce due to the reductions in the number and severity of accidents enabled by automated braking and other accident prevention technologies. Much of that will be replaced by insurance premiums for the private fleet operators, but overall insurance premiums to insurance companies will decrease. [Gatzert2020c]

The average car ownership annual cost is \$9561. Families' private automobile ownership cost savings: **\$4.75 billion** per year (500,000 fewer vehicles x \$9500 annual cost savings per vehicle). [AAA2020a]

3.5 Reduces passenger, pedestrian, cyclist, motorcycle injuries and death.

At least ninety percent of automobile accidents are caused entirely or in part by human error. Modeling estimates that always connected, attentive (and sober) Shuttles should eliminate from 33 up to 90 percent or more of these accidents and 27 percent of bodily injuries. Waymo researchers studied more than 56.7 million miles of driving and report that by removing the human driver Waymo achieves reductions in crashes: 92% involving injuries among pedestrians, 82% with cyclists, and 82% involving motorcyclists. [Golomb2021a, Gora2016a, Houssai2026a, Keeney2017a, Othman2022a, Othman2022b, Pizarov2021a, Singh2015a, Smith2013a, Sullivan2025f, Victor2023, Weijermars2022g]

3.6 Improves mobility and employment for our older and disabled residents.

Shuttles will provide more travel non-driving residents with door-to-door service 24/7. Shuttles will improve on existing paratransit services, being available 24/7 with quick arrival times assured by spreading special vehicles throughout the service areas. [Houssain2026a, Jiang2024b, Othman 2022a, Othman2022b, Perrine2018a, Via2020c]

AVs will enable an increase in US labor force participation of people with disabilities by 15 percent, resulting in 9.15 million direct, indirect, and induced jobs, increasing annual income, GDP, and federal tax revenue by \$416 billion, \$867 billion, and \$92 billion respectively. This would also reduce annual federal spending for Social Security SSI and SSDI by \$27 billion. [Modicamore2022i]

3.7 Enables converting street parking spaces, parking lots and garages to other uses.

"A fleet of autonomous taxis would drastically reduce the need for parking space in the city and would, therefore, open space for additional lanes to increase the capacity or even make cities are more friendly, greener and livable place." [Horl2017a, Houssain2026a]

Fewer street parking spaces and fewer and smaller parking lots and garages will be needed. Across the U.S., by 2030, autonomous taxis might free up 250 million parking spaces worth \$4.2 trillion. Converting parking spaces will add more than \$350 billion to homeowner, commercial, and municipal real estate returns in 2030. Replacing all car and bus trips in Lisbon with SAV[s] ... will reduce public parking space required by 95 percent. [Houssain2026a, Keeney2017a, Manders2020e, Othman2022a, Othman2022b, Pizarov2021a, Shaheen2018a]

Nearly all shuttles will be active during the rush periods, and most will be active intermittently during non-rush hours. During idle time, shuttles will be strategically parked near where demand has been shown to be high for the next rush period, often curbside. [Wiseman2017a]

3.8 Eliminates the need and cost for corporate shuttle buses.

Shuttles will eliminate the cost and traffic congestion caused by the 1,020 private corporate shuttle buses. Private company annual savings: **\$250 million**. [Stone 2020a]

3.9 Enables productive activities or resting while shuttling.

Drivers of previous single-person commuter vehicles will be freed from paying attention to driving activities. They will be enabled to be active in work, recreation, exercise, or resting while being shuttled. This will reduce commute stress. [Houssain2026a, Othman2022a, Othman2022b, Perrine2018a, Shaheen2020a, Waymo2020a]

4 CalShuttle agency and private vendor shuttles

Private vendors will purchase, own, operate, and maintain the actual Shuttles. Likely companies could include: on-demand rideshare companies like Uber, Lyft; traditional rental-car companies like Hertz, Avis, National, Alamo, Budget; automobile companies such as Ford, GM, and Tesla; and others.

CalShuttle will be a three-county agency arranging and providing services, akin to an airport like SFO does for airlines but with different and fewer services. San Francisco MTA, San Mateo SamTrans, and Santa Clara County VTA will jointly operate this agency.

CalShuttle duties will include:

- Construct and maintain electric and hydrogen charging stations at locations throughout the three counties. Features will include:
 - Automated shuttle drive-up charging connections.
 - Cleaning the shuttles as needed, perhaps including UV treatment.
 - Connections to the electrical grid and to hydrogen supplies.
 - Backup battery and hydrogen storage.
 - Garages for shuttle maintenance by the shuttle providers, including repairs and cleaning.
 - Site security.
- Manage interoperability among shuttle operation companies [Chan2012a].
- Monitor the shuttle providers to assure that their algorithms achieve the target rush period passenger load.
- Monitor the shuttle fleets to assure sufficient accessible support for disabled passengers.
- Manage fare subsidies for various groups, where applicable: low-income, disabled, seniors, students.
- Manage the multi-year transition from Caltrain, SamTrans, and VTA rail, bus, and light rail service to CalShuttle operations.

Charging stations will be automated with one or more technologies, so no human will need to be involved:

- A retractable arm connecting to a charging port at a standard location of the side of each Shuttle.
- A retractable post connecting to a charging port at a standard location on the bottom each Shuttle.
- Wireless charging through coils mounted in the ground below the charging lane.

Wireless charging is being tested and in use. One company's cost target is \$3,500 per charger plus installation. Wireless charging should be almost as efficient as wired. [Charlton2021a, Electropedia2021a, Emilio2021a, Muller2022a, Shahan 2020a]

5 Cost-Effective Implementation and Operation.

5.1 Implementation Costs, Savings, and Shift to Private Vendors.

Table 8-2 and Table 8-3 show the parameters and analysis that drive these costs for implantation capital expenditures.

Table 5-1. New Costs

		Taxpayer-Funded	Privately-Funded	
		\$Million	\$Million	
Entity	Item	New Costs	New Costs	Reference
Vendors	Shuttles purchase		\$2,516	Table 7-3, h06
CalShuttle	Chargers and stations	\$377		Table 7-3, i36
	New Costs	\$377	\$2,516	
	10-Year Recovery from Vendors	-\$377	\$377	
	10-Year Totals	\$0	\$2,893	

Shuttles will have low floors, near or at the existing height of street curbs and sidewalks, enabling near-level boarding. This will minimize or eliminate steps up that are common with buses; and the need for special boarding platforms that are common with light rail. [Priddle2020a]

This approach will transfer all capital expenses from the government agencies of SamTrans and VTA to the private vendors who will purchase, own, operate, and maintain the Shuttles. The initial capital cost of the taxpayer-funded investments will be amortized over a 10-year period, and charged back to the private Shuttle operating vendors as part of the CalShuttle service fee.

This analysis does not include taxpayer-funded standardized pavement markings, signage, and other infrastructure will enable AVs to operate better, [FHWA2020a]

This analysis does not include taxpayer-funded capital expenditures for Caltrain corridor grade-crossing gate and other improvements to handle California High Speed Rail trains.

5.2 Operational Costs, Savings, and Fares.

Table 8-4 shows the parameters and analysis that drive these costs for operational costs, and fares.

Key factors in operational costs for shared autonomous Shuttles include:

- Eliminates the driver labor costs that comprise 80% of per-mile cost [Shetty202a].
- Spreads operational costs across multiple passengers and trips.
- As with any EV, Shuttles reduce energy costs. [VanderWerp2021a]
- Reduces or eliminates the maintenance costs for fixed infrastructure such as Caltrain and light rail tracks.

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

12

Table 8-4 details that 100 per cent fare recover is possible with the following parameters (parameter IDs):

- 31,354 CalShuttle-administered, private vendor-operated Shuttles (a54)
- 505 million annual passenger trips (e30)
- 155 million annual Shuttle trips (e18)
- 3.3 average Shuttle passenger load per trip: 4 during commute periods, fewer other times (n24)
- 20.3 mile average Shuttle trip distance (f03)
- \$6.39 cost per 20.3 mile Shuttle commuter trip (n09) or \$0.31 per Shuttle trip mile (n12)
- \$1.96 fare per Shuttle passenger (n18), or about \$0.097 per passenger mile (n21) for a 20.3 mile trip

This \$1.96 fare is similar to an acceptable fare of \$2 reported in one study. [Shaheen2020a]

City-operated and subsidized ride-hailing services fares in Connecticut - \$1.75 - and Palo Alto - \$2 to \$4 - are in line with this study's \$1.96 fare - but the Robotaxi fare requires no government subsidy. [Moritz2025d, Palo Alto]

\$0.097 per passenger-mile is consistent with other Shuttle per mile (not per passenger mile) estimates that range from \$0.20 to \$0.37. [Keeney2017a, Othman2021a, Sperling2018a], but is lower than one per passenger mile estimate of \$0.37 [Bosch2017a]. \$0.097 per passenger-mile is much less than the over \$0.60 per passenger-mile that one survey of Texas residents said they would be willing to pay for Robotaxi service. [Gurumurthy2020a]

\$0.097 per passenger mile is much less than current public transit systems spend on human driver, fixed-route, fixed-schedule, large vehicle systems (e.g., busses). For example, SamTrans cost per passenger-mile was \$2.29 for 2014 to 2017. [Othman2022b, Pierlott2028a]

Vendor-operated Shuttles transfer all costs for Shuttle operations, CalShuttle charging stations and office operations, and CalShuttle capital equipment amortized costs to the private vendors. No ongoing government subsidy is required, except possibly for special classes of passengers such as: low-income; students; seniors; and special assisted shuttles with ramps.

CalShuttle and the private Shuttle vendors may choose to adjust this fare schedule for the following characteristics:

- Charge each passenger per passenger-mile traveled.
- Fare reductions for various groups: low-income, students, seniors, disabled.

Section 3.8 indicates that San Francisco, San Mateo, and Santa Clara Counties household will likely realize annual savings of \$4.75 billion through reduced ownership of personal vehicles.

Section 3.13 indicates that Shuttles will eliminate the need for corporate shuttle buses, for an annual savings of \$250 million. [Stone2020a]

"When on-demand networks are implemented in a smart way, communities can actually save money compared to their previous fixed route services, unlocking broader benefits that pay back the initial investment many times over." [Voia2020a]

6 CalShuttle - The Future of Bay Area Transit.

6.1 Advocacy

The study advocates for this CalShuttle approach based on: the improved service characteristics described in Section 1; and the financial and other beneficial impacts described in Section 2 especially those that will accrue to reduced government capital and operational costs. Not all known and potential issues have been addressed yet, by 2025 ... but they are being addressed, quickly.

Dynamic carpooling services will enable drivers and passengers to easily share a car. This will reduce cost, fuel consumption, pollution, and traffic congestion. Vehicle sharing will not only be convenient but necessary. [Tyagi2016j]

6.2 ... AND Prediction

This study both advocates for this approach but also simply reports and predicts what is very likely to occur whether government advocates for it or not.

Ride-sharing services such as Uber and Lyft have shown that the on-demand, point-to-point model is popular. The financial benefits and profit opportunities described in Sections 2 and 5 are already attracting investments by private corporations to provide these services. Ride hailing services are already replacing the use of public transportation due to low wait times and increased flexibility. In 2023, the City of Palo Alto implemented Palo Alto Link, a city-operated point-to-point rideshare service for destinations within the city. [Hansen2022k, PaloAlto2024l, Shetty2020a]

"Self-driving cars are inevitable. It is only a question of time. Morgan Stanley estimates that autonomous vehicles can save just the US economy a total of \$1.3 trillion per year. The technology will disrupt the transportation industry from passenger car to mass transit. ... The main challenge to bringing autonomous technology is the unavoidable tens of thousands of dollars in additional cost per vehicle. In the near term, ride-hailing business will be the first to have a financially-viable reason to replace human drivers. For this reason, robotaxis are expected to come before mainstream autonomous passenger vehicles. As we transition to an access economy, urban consumers will increasingly favor a driverless-car booking over car ownership." [Golomb2021a; underling added]

"... shared AVs have the potential to significantly reduce the average waiting time and trip costs when compared with the current transit service, which means that shared AVs will be a strong competitor to the transit service and might attract public transit users. Thus, transit agencies should be aware of this new coming disruption to the transportation system or else they will incur significant losses; in particular, AVs will be available sooner or later." [Othman2022a]

"Carpooling is poised to address the current issues in transportation such as car ownership, traffic management, transport economy, time management ... has been proved beneficial in traffic congestion control, the effect on the environment, economy, rush hour problems. However, these advantages have brought many challenges that the research community has tried to address, and the current carpooling service providers have adopted few." [Zafar2022]

Some observers fear that Robotaxis would undercut public transit such buses and trains. This paper advocates that Robotaxis will BE the primary public transit of the future - privately operated but publicly supervised.

6.3 The beginnings of a Bay Area-wide network

For the purpose of bounding the scope of analysis, this study was limited to the three Peninsula counties. This distinction is arbitrary - it is likely that such CalShuttle services will grow organically within all nine Bay Area counties in parallel.

Even if CalShuttle does start only in the three Peninsula counties, the first natural service extension would be across the bridges that connect these counties to Marin, Alameda, and Contra Costa counties.

6.4 Even Longer Distances

It is likely that CalShuttle would quickly expand to more distant popular destinations, for example Sacramento, the Sierras, and Bakersfield. Such trips would not take less time than personal driving, but businesspeople and families could make effective use of time for such 2-to-4-hour trips, as described in section 3.13.

Shuttles will operate at highway speeds on freeways because CalShuttle's overall vehicle reductions will eliminate freeway traffic jams. [Chakravarty2020a, Torchinsky2020a]

"Americans expect much of their long-distance travel (for trips over 50 miles, one-way) to shift toward AVs and SAVs. For example, nearly 50% of trips between 50 and 500 miles (one-way) are expected to eventually take place in an AV or SAVs ..." [Gurumurthy2020a, Perrine2018a]

Autonomous vehicles including autonomous shuttles could be the basis for semi-high-speed travel on highways. An "autonomous autobahn" with vehicle speeds up to 120 mph could be added to California's highways 5 and 99 for much less cost than the current California High Speed Rail plan, perhaps entirely paid for by vehicle tolls. [Jackson2019a]

6.5 Timeframe: Early 2030s.

Many sources predict many timeframes from 2021 to decades from now for autonomous vehicle acceptance and adoption: 2020 to 2030 [MTC2018f]; 2021 [McBride2021a]; 2024 for Tesla, many others shortly thereafter [Johnson2021a]; 2025 [Dans2021f], [Newman2021a]; 2025 to 2030 [Faggella2020a]; 2026 [Pinto2020a]; 2030 [McKinsey2021a], [Forsgren2018a], [Litman2021a], [Potgeiter2021a]; decades from now [Gupta2021a].

In planning to launch a self-driving car with a detachable steering wheel in 2023, China's Jidu indicates "... that the technology, which many have dismissed as impossible until many years from now, has already reached a level of maturity thanks to the application of machine learning. The sheer size of the Chinese automotive market, equivalent to the United States, Europe and Japan combined, should generate economies of scale that would make the technology available relatively quickly." [Dans20221]

Many activities and studies in the early 2020s indicate that development and implementation will progress quickly:

- Autonomous taxi, rideshare, and delivery services (latest to earlier)
 - Waymo's driverless robotaxis have already captured 27 percent of ridesharing in San Francisco. [Sullivan2025f]
 - Connecticut has implemented a human-driver subsidized ride-hailing system in 17 cities. [Moritz2025d]
 - Waymo approved to expand driverless taxi services in San Mateo County and as far south as Sunnyvale. [Baron2024a]

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com> mike.forster@knowledgewise.com

15

- San Jose considering a fleet of 200 robotic shuttles San Jose Airport and downtown San Jose, using a dedicated new guideway. [Greschler2023d]
- Bishop Ranch business park has driverless autonomous shuttles. [Wittner2023d]
- "Lyft ... will test self-driving taxi rides in Las Vegas ... starting in 2023." [Akers2021a, Davalos2021a, IntelTransport2021a]
- Lyft, Ford, and Argo AI announced the launch of an autonomous ride-share service in Miami in 2022. [IntelTransport2022a]
- Walmart and Kroger have driverless vehicles operating for grocery delivery. [Kovacevich2022a]
- Uber Eats deliveries will pilot driverless deliveries in Santa Monica in 2022. [Davalos2021a]
- Waymo to start operating autonomous vehicles in Los Angeles in the coming months. [Waymo2022j]
- Lyft and Motional have provided over 100,000 robotaxi rides (with safety drivers) from 2018 to 2021, without any at-fault road incidents. [Akers2021a]
- "Tesla ... will soon... operate a fleet of robotaxis." [Dans2021f]
- "Waymo, Didi or AutoX ... already operate fleets of fully autonomous cabs ... [in] several cities in the US, China and Russia." [Dans2021f]
- On-demand transit services (not yet autonomous)
 - SamTrans door-to-door on-demand pilot in East Palo Alto and Half Moon Bay [PADailyPost2023a]
 - Palo Alto Link on-demand rideshare service. [Sheyner2023b]
 - Richmond, CA launched an on-demand transit service in April 2022. [Via2022d]
- Manufacturer developments including trucks
 - China's Jidu Automotive will marking a self-driving car in 2023 for about \$55,000. [Dans2022i]
 - Ford enhances Advanced Driver Assistance Systems (ADAS) in Mustang Mach-E in fall of 2022. [Hamblen2022i]
 - The truck driver shortage will drive the deployment of autonomous trucks. [Kovacevich2022a]
 - "The Amazon-owned Zoox "robotaxi features a massive 133 kWh battery pack claimed to provide up to 16 hours of operation on a single charge. ... and can hit a top speed of 75mph." [Chakravarty2020a]
 - GM has announced the Cruise Origin Robotaxi with an expected cost that will be half that of an electric SUV. [Yoney2020a]
- Government initiatives
 - Livermore Amador Valley Transit Authority and the City of Dublin are sponsoring a systems engineering feasibility project regarding a first/last mile transit service from East Dublin/Pleasanton BART station to nearby business, residential, and commercial developments. [WheelsBus2023i]
 - The San Francisco Bay Area Metropolitan Transit Commission (MTC) is sponsoring a "technical assistance grant program to fund Robotaxi technology pilot/deployment projects." [MTC2023b]
 - The National Academies have provided a framework for states and localities to evaluate AV safety. [BTSCR2022a]
 - San Mateo County is looking ahead 5, 10, 20 years and considering autonomous vehicles including shuttles for public and private transportation. [Bowning2021a]

Key factors in Shuttle implementation and adoption include "technology interoperability and integration, enhanced casual carpooling, and public policy." [Chan2012a]

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

16

Studies show that commuter public transit usage is much higher when residences and job destinations are within 1/2 mile of a transit stop. CalShuttle transit "stations" - pickup and dropoff locations (PUDOs) - will be within 2 blocks of the passengers home and work locations, so passenger acceptance will be high. Also, access to HOV or Express lanes has a positive influence on carpools; by reducing overall congestion, CalShuttle will have an effect similar to HOV and Express lanes. [García-Palomares2018a, FHA2022a, Hunter2023c, Kolka2011a, MWCOCG2016a, Wiseman2019a]

CalShuttle addresses all of these "... casual carpooling success factors: 1) a time savings incentive for drivers; 2) monetary savings for passengers; 3) pickup locations near freeways, residences, parking, or public transit stops; 4) a common dropoff location; 5) reliable public transit for the return trip; and 6) an HOV requirement of three or more occupants." [Shaheen2016a]

"... carpooling will be part of the urban life in a very short time. ... technology has advanced sufficiently to make it possible to efficiently coordinate the travel of the different people in a pool." [Dans2017a]

"... our low disruption scenario only foresees advanced AVs (level 4 and 5) with a 2% share of light vehicle sales by 2030 rising to 10% by 2040. However, should the revolution follow our high disruption scenario where AVs comprise a 30% share of light vehicle sales by 2030 and 50% by 2040 ..." [Forsgren2018a; underlining added]

Even as early as 2022, between 40 and 50 percent of young adults in one survey were extremely or somewhat comfortable with riding in an AV for everyday travel or relying on shared CAVs. [Bagli2022k]

"I believe we'll reach a tipping point with autonomous vehicles within the next decade. ... We've made tremendous progress on autonomous vehicles, or AVs, in recent years, and I believe we'll reach a tipping point within the next decade. When it happens, AVs will change transportation as dramatically as the PC changed office work." Trucking, deliveries, taxis and rental cars will precede private AV ownership. [Gates2023c]

Robotaxis will be implemented first in controlled situations, limited to specific communities and simple safe roadways, and perhaps low-traffic rural areas. Then Robotaxis will expand incrementally to larger, more varied urban and suburban areas, and finally even to handle locations and roadways never visited before by a Robotaxi. [Levin2023c; and Current Activities earlier in this section]

Considering all of these predictions and investigations, this study presumes a middle date of 2030 for the beginning of a critical mass of production and acceptance. A 65 percent acceptance rate for using AVs within 3 to 4 years after introduction led to the 2033 date in Section 1. One study predicts a similar acceptance rate of 56 per cent. A Marist poll indicates that in 2025 only 45 percent of Americans are likely to try a self-driving taxi; the analysis in this document chooses a more optimistic acceptance rate by the early 2030s. [Biermann2023, Marist2025j, Othman2021a]

This study presumes that it is likely that this CalShuttle approach can and will be funded by private corporations and implemented more quickly than the funding, planning, and construction for the CalTrain and VTA projects listed would be completed by the county and city governments.

6.6 Risks and Challenges

6.6.1 Current studies

Studies highlight current risks and challenges, which are being addressed by research, design, and testing.

At autonomous level 2, drivers may not understand that they must pay full attention. At level 3, the driver's reaction time added to the system's reaction time may be too long for an effective response. Level 4 may require road infrastructure investments that only rich nations or localities can provide, perhaps creating a new "digital divide" associated with AVs. [Polidori2018d]

AV issues include: safety, especially for pedestrians; reliability of the onboard systems; liability and accountability, between the AV system and the occupant(s); and security of the AV system. [Memon2022g]

6.6.2 Parallels with newfangled automobiles in the 1900s

Between 1900 and 1913, the newfangled technology, the automobile, replaced almost all horse-drawn vehicles in New York City. Initially, dedicated highway and expressway lanes might could help autonomous vehicle adoption and operation. [Rajib2017a, Litman2021b]

In the 1900s, the budding automobile industry had risks and challenges that parallel those of AVs today. Automobiles were:

- Unreliable, needing frequent repairs.
- Nearly useless on muddy roads or steep hills, or in winter.
- Unsafe with the usually inexperienced drivers, and for pedestrians.
- Noisy (although mufflers were quickly introduced).
- Hard to start, especially gasoline engines.
- Expensive (although mass production reduced prices quickly).

But the benefits of automobiles outweighed these early disadvantages:

- Speed - an automobile could travel much faster for longer than any horse-drawn wagon.
- Availability - refilling a gas tank takes much less time than feeding and resting a horse.
- Power - larger engines made possible larger loads or hauling than possible with horses or oxen.
- Less pollution and odor - than horse manure.
 - In New York in 1900, the population of 100,000 horses produced 2.5 million pounds of horse manure per day, which all had to be swept up and disposed of. [Fee2004i]

The most effective use of automobiles required government investment in infrastructure in the form of paved roads to replace dirt roads, and the continuing upgrading of paved roads over decades. The most effective use of Robotaxis will also require some infrastructure enhancements over years and decades. (Those potential costs are not included in this study.) [Kosuru2023d]

The advantages of automobiles were compelling, and technology improvements in automobiles and roads in the 1910s and 1920s overcame most of the deficiencies of automobiles. Similarly, the advantages of Robotaxis are compelling in the 21st century, and technology and infrastructure improvements will address the current challenges.

7 Changes in Government Approaches: Cost Savings and Questions

If this study is correct and a CalShuttle approach is both beneficial and inevitable, this should lead to questions about current investments in attention and funding:

- Should we suspend planning and arranging funding for Caltrain grade separations, DTX, and the Dumbarton Corridor projects?
- Should we suspend planning and arranging funding for the BART Santa Clara extension?
- Should we refocus city and county government attention on other issues, such as housing, police and fire department services, water and power infrastructure, and so on.

Table 7-1. Capital Expenditure Eliminations

	Cost Avoidance Savings	Taxpayer	
		\$Billion	
Entity	Item	Savings	Reference
Caltrain	Grade Separations	\$10.2B	Section 7.3
Caltrain	DTX	\$6.7B	Section 7.3
Caltrain	Dumbarton	\$2.4B	Section 7.4
VTA	BART Extension	\$12.2B	Section 7.5
	Savings	\$31.5B	

7.1 Replaces Caltrain commuter operations AND reduces commuter traffic.

The San Francisco-Peninsula Commute case study (Table 8-1) shows how CalShuttle could replace the Caltrain commuter train service and still reduce overall commuting automobile and shuttle vehicle traffic.

7.2 Retains some Caltrain capacity.

Some Caltrain Stadler KISS cars and operations support would be retained to service events at Oracle Park, Chase Center, Stanford, SAP Arena, PayPal Park, and Levi's Stadium. Also freight operations would continue.

CalShuttle shuttles will work well for dispersed starting points and destinations spread out over multiple commuting hours as well as for off-hours on-call service. Large population events with a single location and arrivals and departures concentrated in very short time frames will be better served by high-volume transit connecting to CalShuttle for the last mile.

7.3 Eliminates the cost of Caltrain Corridor grade separations and DTX.

Only these trains will make use of the Caltrain Corridor route:

- Caltrain for large events, mostly off-hours and weekends.
- California High Speed Rail at a peak of 4 trains per hour in each direction.
- Infrequent freight traffic scheduled to avoid CA HSR peak hours.
- Nostalgic and holiday trains during off-hours and weekends.
- Rare freight trains to support national defense (STRACNET) [Tiller2009a].

With auto traffic disrupted across and alongside the Caltrain Corridor at most every 7.5 minutes during CA HSR peak hours, grade separations will no longer be needed. This will also avoid the years-long disruption to automobile traffic and neighborhoods due to the construction of grade separations.

The timeframe for completing grade separations along the entire Caltain Corridor would almost certainly be decades. Caltrain reports that a single grade separation project takes 10 to 15 years, from initial planning to completion. Many cities have not yet decided on grade separation design preferences nor secured funding. [Caltrain2023a]

This will free up city budgets, and enable city governments to attend to other high-priority needs such as general and low-income housing, police and fire department services, infrastructure, and so on.

CalShuttle will also eliminate the need for the Caltrain / High-Speed Rail Downtown Extension (DTX) from 4th and King to the Transit Terminal.

Government transit agency capital cost savings: **\$16.9 billion -** for grade separations (**\$10.2 billion**) and DTX (**\$6.7 billion**). [Caltrain2021a, Cauthen2019a, King2023a]

7.4 Replaces the Dumbarton extension between Redwood City and Union City.

As CalShuttle extends beyond the three Peninsula counties across the Dumbarton and San Mateo Bridges, it will eliminate the need for the Dumbarton rail corridor option, which range in cost from \$2.43 billion to \$3.32 billion.

Government transit agency capital cost savings: At least **\$2.4 billion**. [Dong2021a]

7.5 Replaces the VTA BART extension in Santa Clara County.

The VTA BART Extension case study (Table 8-5) shows how CalShuttle would replace the BART extension from the Berryessa BART station to Santa Clara.

Low projected ridership on this BART extension might make it a cost-ineffective and politically untenable project. [Kamisher2023c]

As with the Caltrain Corridor, will also avoid the years-long disruption to automobile traffic, businesses, and neighborhoods due to the construction of tunnels and stations.

Government capital cost savings: **\$12.2 billion**. [Greschler2023j]

7.6 Replaces SamTrans and VTA commuter operations.

The San Francisco-Peninsula Commute case study (Table 8-1 based on [BayAreaMetro2016a / Table 9-1]) shows how CalShuttle would replace the SamTrans and SamTrans bus service and the VTA light rail commuter service, and still reduce overall commuting automobile and shuttle vehicle traffic.

7.7 Retains some SamTrans and VTA bus and light rail capacity.

Some bus and light rail vehicles and operations support would be retained to service events at Oracle Park, Chase Center, SAP Arena, PayPal Park, Levi's Stadium, CEFCU Stadium, and Excite Ballpark.

8 The Analysis

Note: This analysis is based on 2016 travel patterns across 3 counties. This does not include consideration of the factor of full-time or part-time remote/non-commuting work that rose after the Covid pandemic.

8.1 Scope: San Francisco-San Mateo-Santa Clara Travel

The travel scope of this analysis includes these Counties:

- San Francisco to and from San Mateo
- San Francisco to and from Santa Clara
- San Mateo to and from Santa Clara
- Within San Mateo
- Within Santa Clara

Travel within densely-populated San Francisco is excluded, assuming that travel entirely within the City will continue use San Francisco Muni buses/trolleys, taxis, and other existing means of transportation.

8.2 Legend

Term	Definition
Charger port	An electric or hydrogen charger port for one Robotaxi Shuttle at a time
Charger	A power supply that may have multiple charger ports
Charging stations	One or more chargers in one location, some with maintenance facilities
Conventional	Current gasoline or diesel passenger auto, van, or truck
Conv pass trips	Count of passenger trips via Conventionals
Conv trips	Count of trips by Conventional vehicles
Shuttle	Shared autonomous vehicle / Robotaxi) 5+ passenger van
Shuttles	Count of Shuttles
Shut pass trips	Count of passenger trips in Shuttles
Shuttle trips	Count of trips by Shuttles
Vehicle	Includes both Conventional and Shuttle vehicles
Veh pass trips	Count of passenger trips in Vehicles
Vehicle trips	Count of trips by Vehicles
Gray cells	Adjustable parameters

8.3 Comparisons to Other Studies

This study's analysis concur with other studies and simulations with similar results:

- "3,000 four-passenger cars could serve 98 percent of taxi demand in New York City, with an average wait-time of only 2.7 minutes." "95 percent of demand would be covered by just 2,000 ten-person vehicles, compared to the nearly 14,000 taxis ... in New York City." "Using data from 3 million taxi rides, the new algorithm works in real-time to reroute cars based on incoming requests, and can also proactively send idle cars to areas with high demand - a step that speeds up service 20 percent ..." [Conner-Simons2016a]
- An AV fleet of 100,000 vehicles could replace 1.1 million commuting private cars with shorter wait times. [Bischoff2016a]

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

21

8.4 The Tables

Section 8.4.1 describes the parameters and references that drive this analysis.

Table 8-1. Counts of Passenger Trips and Shuttles

Source: [Bay Area Metro2016a]		https://data.bayareametro.gov/dataset/Vital-Signs-Commute-Patterns-Bay-Area/c33n-96bi																	
Settable parameters are in gray			See "CalShuttle - Mike Forster - v3.5" for parameter settings, references																
Table 8-1. Counts of Pass Trips and Shuttles			Unit	(F)Factor	Totals	Formulas	Drove alone	2-person car-pool	3-person car-pool	4-person car-pool	5-or-6-person car-pool	7-or-more-person car-pool	Bus (VTA + Sam-Trans)	Street-car or Trolley (VTA Light Rail)	Rail-road (Cal-train)	Taxi	Motor-cycle	Other	
a01	A: Weekday Commuter Conversions to Shuttles																		
a02	One-Way, Morning or Evening Commute Period																		
a03	Passengers among 3 counties	Conv pass trips			1,167,860	a03	942,630	104,140	18,365	6,050	3,250	1,810	45,995	2,045	27,025	1,430	4,595	10,525	
a06	Passenger per Conventional loading	factor				a06	1	2	3	3	5.5	7							
a09	Conventional trips	Conv trips			1,021,120	a09=a03/a06	942,630	52,070	6,122	2,017	591	259	832	50	0	1,430	4,595	10,525	
a12	% passengers change to Shuttles	factor				a12	65%	65%	65%	65%	65%	65%	65%	65%	65%	65%	65%	10%	
a15	Passengers change to Shuttles	Shut pass trips			750,793	a15=a9*a12	612,710	67,691	11,937	3,933	2,113	1,177	29,897	1,329	17,566	930	460	1,053	
a18	Passengers per Shuttle loading	factor				a18	4	4	4	4	4	4	4	4	4	4	4	4	
a21	Total Shuttle trips	Shuttle trips			187,698	a21=a15/a18	153,177	16,923	2,984	983	528	294	7,474	332	4,392	232	115	263	
a24	Passengers continuing Conventionals	Conv pass trips			417,067	a24=a03-a15	329,921	36,449	6,428	2,118	1,138	634	16,098	716	9,459	501	4,136	9,473	
a27	Continuing Conventional trips	Conv trips			365,399	a27=a24/a06	329,921	18,225	2,143	706	207	91	0	0	0	501	4,136	9,473	
a30	Change in Conventional trips	Conv trips			-655,721	a30=a27-a09	-612,710	-33,846	-3,979	-1,311	-384	-168	-832	-50	0	-930	-460	-1,053	
a33	New total Vehicle trips	Vehicle trips			553,097	a33=a21+a27	483,098	35,147	5,127	1,689	735	385	7,474	332	4,392	733	4,250	9,736	
a36	Change Conv to Vehicle trips	Vehicle trips			-468,022	a36=a33-a09	-459,532	-16,923	-995	-328	144	126	6,642	282	4,392	-697	-345	-789	
a39	% Change Conv to Vehicle trips	%			-45.8%	a39=a36/a09	-48.8%	-32.5%	-16.3%	-16.3%	24.4%	48.8%	798.3%	564.6%	n/a	-48.8%	-7.5%	-7.5%	
a42	Total Shuttle trips	Shuttle trips			187,698	a21													
a45	Shut trips per period, Shuttles needed	Shuttles		7	26,814	a45=a42/F													
a48	% Increase for peak hour	Shuttles		8.4%	2,261	a48=a45*F													
a51	% Spare Shuttle ratio	Shuttles		8.5%	2,279	a51=a45*F													
a54	Total Shuttles needed	Shuttles			31,354	a54=a45+a48+a51													
a57	Conventionals replaced per Shuttle	count			15	a57=a36/154													
a61	Round-Trip, Both Mornings+Evening Commutes																		
a63	Passengers change to Shuttles	Shut pass trips		2	1,501,586	a63=a15*F													
a66	Conventional trips	Vehicle trips		2	2,042,240	a66=a09*F													
a69	New total Vehicle trips	Vehicle trips		2	1,106,195	a69=a33*F													
a72	Change Conv to Vehicle trips	Vehicle trips			-936,045	a72=a69-a66													
a75	% Change Conv to Vehicle trips	%			-45.8%														
a78	Total Shuttle trips	Shuttle trips		2	375,397	a75=a24*F													
a81	Trips per Shuttle	Shuttle trips		2	14	a78=a45(F)*F													
b01	B: Weekday Non-Commute Conversions to Shuttles, and 5-Day Week Totals																		
b03	Both periods Conventional trips	Conv trips			2,042,240	a66													
b06	% Non-Commute / Commute trips	Conv pass trips		40%	816,896	b06=b03*F													
b09	% passengers Change to Shuttles	Shut pass trips		25%	204,224	b09=b06*F													
b12	Pass per Shuttle, Shuttle trips	Shuttle trips		2	102,112	b12=b09/F													
b15	Weekday Shuttle trips per Shuttle	Shuttle trips			3.3	b15=b12/a54													
b18	Typical max weekday trips per Shut	Shuttle trips			17.3	b18=a78+b15													
b21	Typical max 5-day trips per Shuttle	Shuttle trips		5	86.3	b21=b18*F													
b24	Weekday Shuttle trips	Shuttle trips			477,508	b24=a78+b12													
b27	5-day Shuttle trips	Shuttle trips		5	2,387,542	b27=b24*F													
b30	Weekday passengers	Shut pass trips			1,705,810	b30=a63+b09													
b33	5-day Shuttle passengers	Shut pass trips		5	8,529,050	b33=b30*F													
c01	C: Saturday Conversions to Shuttles																		
c03	Weekday Veh trips	Veh trips			2,859,135	c03=b03+b06													
c06	% Saturday vs. Weekday trips	Veh pass trips		93%	2,658,996	c06=c03*F													
c09	% passengers change to Shuttles	Shut pass trips		25%	664,749	c09=c06*F													
c12	Pass per Shuttle, Shuttle trips	Shuttle trips		2	332,374	c12=c09/F													
c15	Saturday trips per Shuttle	Shuttle trips			10.6	c15=c12/a54													
d01	D: Sunday Conversions to Shuttles																		
d03	Weekday Trips	Veh trips			2,859,135	c03													
d06	% Sunday / Weekday trips	Veh pass trips		73%	2,087,169	d06=d03*F													
d09	% passengers change to Shuttles	Shut pass trips		25%	521,792	d09=d06*F													
d12	Pass per Shuttle, Shuttle trips	Shuttle trips		2	260,896	d12=d09/F													
d15	Sunday trips per Shuttle	Shuttle trips			8.3	d15=d12/a54													
e01	E: Weekly and Annual Totals for Shuttles			Weeks/Yr															
e06	5-day Shuttle trips	Shuttle trips			2,387,542	e06=b27													
e09	Saturday Shuttle trips	Shuttle trips			332,374	e09=d12													
e12	Sunday Shuttle trips	Shuttle trips			260,896	e12=d12													
e15	Total full week Shuttle trips	Shuttle trips			2,980,813	e15=e06+e09+e12													
e18	Total annual Shuttle trips	Shuttle trips		52	155,002,277	e18=e15*F													
e21	Average weekly trips per Shuttle	Shuttle trips			105.2	e21=b21+c15+d15													
e24	Average annual trips per Shuttle	Shuttle trips		52	5,471	e24=e30*F													
e27	Total weekly Shuttle passengers	Shut pass trips			9,715,591	e27=b33+c09+d09													
e30	Total annual Shuttle passengers	Shut pass trips		52	505,210,734	e30=e18*F													
e33	Overall avg Shut passengers per Shut trip	Pass per Shut			3.3														

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com> mike.forster@knowledgewise.com

22

Table 8-2. Shuttle Miles

Table 8-2: Shuttles Miles: Range, Annual		<u>Unit</u>	<u>(F)actor</u>	<u>Totals</u>	<u>Formulas</u>
f01	F: Shuttle Range				
f03	Nominal miles per commuting trip	miles	20.3		f03
f06	Increase factor for deadheading	%	50%	30.5	f06=f03*(1+F)
f09	Typical max weekday trips, mileage	Shuttle trips	17.3	525	f09=f06*b18
f12	Shut range margin, nom range at 100% chg	miles	50	575	f12=f09+F
f15	% charging target, daily travel range	miles	70%	822	f15=f12/F
f16	% kWh loss for AI, nominal target range	miles	12%	723	f16=f15/F
f18	Weekday charges, target range/shuttle	miles	3	241	f18=f15/F
g01	H: Annual Mileage Total and Per Shuttle				
g03	Total annual Shuttle trips	Shuttle trips		155,002,277	g03=e18
g06	Miles - per trip, total annual	miles	30.5	4,719,819,334	g06=h03*f06
g09	Total Shuttles	Shuttles		31,354	g09=a54
g12	Annual miles per Shuttle	miles		150,533	g12=g06/g09

Table 8-3. Capital Costs

Table 8-3. Capital Costs: Shuttles, Chargers		<u>Unit</u>	<u>(F)actor</u>	<u>Totals</u>	<u>Formulas</u>
h01	F: Shuttles Capital Costs				
h03	Total Shuttles needed	Shuttles		31,354	h03=a54
h06	Shuttles capital cost each, total	\$Million	\$40,000	\$1,254	f06=f03*F
h09	Shuttles operational life	years	10		f09
i01	G: Chargers, Charging Stations Capital Costs				
i03	Weekday charges per Shuttle, total	sessions	3	94,062	i03=h03*f18(F)
i05	Charger port sessions/hour, /daily	count	2	48	i05=24*F
i06	Total Level 3 charger ports	chargers		1,960	i06=i03/i05
i09	Charger port cost, each and total	\$Million	\$80,000	\$157	i09=i06*F
i12	Charging stations primary locations	count	5		i12
i15	Electrical substations cost, each, total	\$Million	\$11	\$55	i15=i12(F)*15(F)
i18	Weekday miles total for all Shuttles	miles		18,043,288	i18=a54*f12
i21	kWh - per mile, per day, all Shuttles	kWh	0.35	6,387,324	i21=i18*F
i24	Days, total kWh storage	kWh	0.50	3,193,662	i24=i21*F
i27	Battery storage cost - per kWh, total	\$Million	\$65	\$208	i27=i24*F
i30	Charging station costs, total	\$Million		\$419	i30=i09+i15+i27
i33	Charging stations land costs	\$Million	\$0	\$0	i12
i36	Total Capital Costs	\$Million		\$1,674	i36=h06+i30
i39	Charging stations operational life	Years	10		i39=i15

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com> mike.forster@knowledgewise.com

23

Table 8-4. Costs, Annual and Per Passenger

Table 8-4: Costs: Annual Total, Per Passenger		<u>Unit</u>	<u>(F)actor</u>	<u>Totals</u>	<u>Formulas</u>
j01	<u>J: Electricity</u>				
j06	Total annual Shuttle miles	miles	30.5	4,719,819,334	j06=j03*F
j09	kWh - per mile, total for all shuttles	kWh	0.35	1,670,816,044	j09=j06*i21(F)
j12	Annual total electricity cost all Shuttles	\$Million	\$0.14	\$235	j12=j09*j12(F)
k01	<u>K: Annual Costs, per Shuttle and all Shuttles</u>				
k06	Annual amortized financing	\$	7%	\$5,573	k06 (see Notes)
k09	Annual insurance	\$		\$1,202	k09 (see Notes)
k12	License, registration, taxes	\$		\$851	k12 (see Notes)
k15	Maintenance, repair, tires per mile	\$	\$0.06	\$9,032	k15=h12*F
k18	Total annual expenses per Shuttle	\$		\$16,658	k18=sum(k06...k15)
k21	Total Shuttles needed	Shuttles		31,354	k21=a54
k24	Total annual expenses, all Shuttles	\$Million		\$522	k24=k18+k21
l01	<u>L: Charging Station Expenses (all Chargers)</u>				
l06	Annual amortized financing	\$Million	7%	\$58	l06 (see Notes)
l09	Annual maint, per Charger and all Chargers	\$Million	\$400	\$1	l09=g12*F
l12	Total annual Chargers expenses	\$Million		\$59	l12=l06+l06
m01	<u>M: Overhead, Profit Margin, CalShuttle</u>				
m03	Subtotal elec., expenses, stations	\$Million		\$817	m03=j12+k24+l12
m06	CalShuttle admin. overhead addition	\$Million	3%	\$25	m06=m03*F
m09	Subtotal vendor, CalShuttle admin	\$Million		\$841	m09=m03+m06
m12	Vendor gross margin addition	\$Million	15%	\$148	m12 (see Notes)
m15	Total annual vendor costs	\$Million		\$990	m15=m09+m12
n01	<u>N: Cost per passenger trip</u>				
n03	Total annual Shuttle trips	Shuttle trips		155,002,277	n03=e18
n09	Cost per Commuter-length Shut trip	\$		\$6.39	n09=m15/n03
n12	Length, cost per Shut commuter trip mile	\$	20.3	\$0.31	n12=n09/f03
n15	Overall avg Shut passengers per Shut trip	Pass per Shut		3.259	n15=e33
n18	Cost per Shuttle passenger-trip	\$		\$1.959	n18=m15/n03
n21	Cost per Shut passenger mile	\$	20.3	\$0.097	n21=n18/f03

8.4.1 Notes for the Tables

Row ID	Notes
Shading	Indicates parameters to be adjusted for various scenario investigations.
a01	Excludes travel entirely within high-density San Francisco. This will likely continue to be serviced by Muni, taxis, and on-call services. Excludes Subway (BART), Ferry, Bicycle, and Walked categories. These are unlikely to change to shuttles.
a03	From Table 8-1, these commuter counts exclude SF to SF and include SF to SM, SF to SC, SM to SM, SM to SC, and SC to SC counties. [BayAreaMetro2016a]
a09	For private road vehicles, the number of vehicle trips is the number of commuters divided by the commuters per vehicle. For busses and trolleys, the number of vehicle trips is the number of SamTrans and VTA buses and VTA light rail vehicles in the fleets, assuming every bus or trolley is active during the commute period. [511VTA2021a, SamTrans2021a] Caltrain operates on a separate right of way, so no road vehicles are included.
a12	65.2 percent of survey respondents would feel comfortable using AVs within 3-4 years after introduction. [Othman2021a]. Even in 2020, 62 per cent would ride in an AV. [Waymo202a] A 2021 survey indicated that 76 per cent of participants would use an AV. [Mouratidis2021a] In 2019, "71 percent of people are afraid to ride in fully self-driving vehicles." This study assumes that percentage will reduce significantly over 14 years. [Edmonds2019a] Assumption: 65 per cent of most commuter categories would use CalShuttle. Usage by motorcyclists and others would be much lower; assumed at 10 percent.
a18	Assumption: CalShuttle vendor algorithms will achieve an average per-shuttle passenger count of 4 per trip during commute hours.
a45	Per commute period of 5 hours (6 to 11 am, 3 to 8 pm): Data: Average Bay Area commute time is 31 minutes. [VitalSigns2018a] Average passenger wait time could be as low as 5 minutes. [Bischoff2016a] Assumption: Shuttle wait / travel time between pickups is a conservative 12 minutes. Shuttle trips per commute period: 300 minutes / (31+12) = 6.98 trips.
a48	The peak evening commute hour traffic load is 8.4 percent higher than the average over both 5-hour commute periods; this factor increases the Shuttle count to address this higher peak demand. [FHWA2014a]
a51	SamTrans bus vehicle spare ratio is 17 percent. Electric vehicles should require 50 percent less maintenance, which should translate to 50 percent fewer spare Shuttles being required. [Harto2020a, Pierlott2018a]
a63 to a75	Double single commute period counts, trips for totals for both commuter periods.

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

25

Row ID	Notes
b06, c06, d06	<p>Percentage of trips during non-commute / Saturday / Sunday hours vs. commute periods. [FHWA2014a]</p> <p>Assumption: 1 passenger per Vehicle for these hours.</p>
b09, c09, d09	<p>Assumption: 25 percent, lower than 65 percent passenger conversions to Shuttles due to lower traffic congestion.</p>
b12, c12, d12	<p>Assumption: 2 passengers per Shuttle trip.</p>
b15, c15, d15	<p>Non-commute / Saturday / Sunday Shuttle trips would be less than morning or evening commute period Shuttle trips spread over more hours, so the Shuttle count during commute periods would be sufficient to cover these hours.</p> <p>Shuttle trips per Shuttle = count of (Non-commute) or (Saturday) or (Sunday) Shuttle trips / count of commute period Shuttles.</p> <p>Assumption: Non-commute / Saturday / Sunday Shuttle trips are distributed evenly across all available Shuttles.</p>
f03	<p>The average San Francisco Bay Area commute distance is 20.3 miles. This study applies that distance to all Shuttle trips. [Goldman2018a]</p>
f06	<p>Average deadheading add-on factors: Uber and Lyft 58%; Uber 69%; RideAustin 35%. [Fried2018a, Mellor2019a, Wenzel2019a]</p> <p>With strategically-located Shuttles based on commuting and non-commuting travel patterns, deadheading should reduce.</p> <p>Assumption: This study adds 50% miles per trip for deadheading.</p>
f12	<p>Assumption: This study adds a 50 miles-per-day mileage range margin.</p>
f15	<p>EV batteries should operate at between 10 percent and 80 percent battery capacity, or 70 percent usable capacity; target Shuttle range per charge = nominal range / 70 percent. [Dickson2021a]</p>
f16	<p>On average at 60 mph, a human-driven EV draws 20.76 kW (0.346 kWh per mile * 60 miles in one hour.) On-board AI computer processing can draw up to 2.5kW for a prototype Level 5 vehicle, but will reduce to perhaps as low as 1kW. A conservative estimate for AI processing reduces range by as much as 12 percent (2.5/2076) [Rajashekara2024c, Zargary2023k]</p>
f18	<p>This range calculation is an engineering tradeoff across: a) maximizing the range to reduce the count of daily charging sessions; b) maximizing the range to enable longer Shuttle trips outside the Bay Area; and c) minimizing the onboard battery storage to minimize per-Shuttle capital equipment cost.</p>

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

26

Row ID	Notes
h06	<p>Cost addition estimates for full level 5 autonomous vehicle sensors and other equipment range from \$9,800 through \$23,950 to \$50,000 per vehicle initially but could reduce to as low as \$1,000 to \$2,000 over time. [Faggella2020a, Keeney2017a, Shaheen2018a, Wadud2017a]</p> <p>Two recent studies predict robotaxi prices to drop to \$28,000 by 2030. [Templeton2024h, Hamlin2025f]</p> <p>Assumption: \$40,000 per vehicle, a conservative estimate that exceeds anticipated costs at economies of scale for autonomous sensors and computer systems,</p>
h09	<p>By 2030 or sooner, electric vehicle batteries could last up to 1.2 million miles and 16 years. The Cruise Origin should have a lifespan of 1 million miles. [Priddle2020a, Ramirez2020a]</p> <p>Assumption: Each Shuttle and its battery will both be operational for 10 years.</p>
i03	<p>Total charging sessions needed = Shuttles needed during weekday commute hours * number of charging sessions per shuttle per weekday.</p>
i05	<p>Each charging session should be 20 minutes or (even) much less.</p> <p>Assumption: 2 charging sessions per hour x 24 hours.</p>
i06	<p>To maximize battery life, batteries should be kept at 80 percent full or less. Fast charging stations can fill an EV battery to 80 percent full in less than 30 minutes, or 2 charging sessions per hour * 24 hours per day = 48 per day per charger.</p> <p>The charger counts to support weekday commuter periods is sufficient to also support the fewer Shuttle trips over more hours during non-commute weekdays, Saturdays, and Sundays.</p> <p>Total chargers needed = Total charging sessions / charging sessions per day.</p>
i09	<p>Assumption: \$80,000 per charger port. [Momentum2025c]</p> <p>Assumption: Adding an automatic connection between a charger and a Shuttle would add \$1,000 per charging station, included in the \$80,000 price.</p> <p>Assumption: Hydrogen chargers, if included, will cost about the same as electric chargers.</p>
i12	<p>One large charging station will be located at existing SamTrans and VTA yards: SamTrans North and South Yards (2), and VTA Palo Alto, Light Rail, and Chaboya Division (3). Other chargers are distributed across existing county and city parking lots.</p> <p>Assumption: 1 large charging station at each of 5 existing SamTrans and VTA yards.</p>
i15	<p>Each charging station might require its own new electrical substation.</p> <p>Assumption: Each electrical substation will cost \$11 million. [Wall2009a]</p>

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

27

Row ID	Notes
i21, j09	<p>kWh per mile efficiency ranges from 0.260, 0.309 and 0.354 (2021) to 0.54 (2012). [Ecocost2021a, Hogeveen2021b, VanHire2021a]</p> <p>Lucid Air has achieved 0.271 kWh per mile (4.6 miles / kWh) and a 500-mile range. Other automakers will likely follow suit. [Ulrich2021a]</p> <p>Assumption: kWh per mile in 2030 will be better than the worst in 2021, so a conservative 0.354 is applied.</p>
i24	Assumption: Maintain 12 hours 0.50 day) of backup battery storage.
i27	Assumption: Battery storage cost will be no higher than \$65 per kWh. [Najman2024k]
i33	Assumption: No land costs because CalShuttle charging and maintenance facilities will use existing Muni (if needed), SamTrans, VTA facilities plus county and city government parking lots.
i36	Charging station total cost = chargers+substations+battery storage
i39	A charging station lifespan will likely be 10 years. [GNY2021a]
j09	Wireless charging should be nearly as efficient as cable charging, so no factor is applied for any potential difference. [Emilio2021a]
j12	The average commercial electricity rate in both San Mateo and Santa Clara Counties is \$0.1408. [ElectricityLocal2021a]
k06, l06	<p>Bank business loan rates range from 2 percent to 13 percent. [DeNicola2020a]</p> <p>Assumption: This study applies a loan rate of 7 percent for expected Shuttle and charging station lifespan of 10 years.</p>
k09, k12, k15	<p>AAA reports annual per vehicle cost of: insurance \$1,202; license, registration, fees \$851; maintenance, repair, tires per mile \$0.09. Electric vehicles save 50 percent on maintenance and repairs. [AAA2020a, Harto2020a]</p> <p>Assumption: This study applies the AAA insurance and license / registration / taxes values. This does not include any special taxes and fees that might be levied on electric vehicles, which are to be determined by the State legislature.</p> <p>Assumption: This study applies a \$0.06 value for maintenance, repair, and tires; maintenance and repair costs should be 50 percent less, but tire wear should be the same.</p>
l09	Charging station maintenance per year should be \$400 per charger. [DOE2021a]
m06	<p>Costs for CalShuttle to providing charging stations sites, including: charging stations, grid connectivity, backup energy storage, maintenance garages, site security. Also monitoring Shuttle vendor operations. This is somewhat comparable to but much less extensive than activities and services provided by airports to commercial air carriers, covered by airport landing fees.</p> <p>Airport landing fees are 2.5 percent of airline operating expenses. [A4A2021a]</p> <p>Assumption: This study applies a 3 percent assessment to Shuttle vendors' other operating expenses to cover CalShuttle administration.</p>

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

28

Row ID	Notes
m12	<p>Gross margins for industries somewhat similar to CalShuttle vendor-provided shuttles include: 5 to 10 percent for rental car companies (net income); Air Transport 5.38 percent, Auto & Truck 9.04 percent, Transportation 19.91 percent; Avis 24.8 percent. [Cynthia 2021a, Damodaran2021a, WSJ2020a]</p> <p>The formula for the resulting cost addition is: $\text{gross margin addition} = \frac{\text{total annual cost of services}}{(1 - \text{gross margin percentage})} - \text{total annual cost of services}$.</p> <p>Assumption: This study applies a gross margin value of 15 percent. Rental car companies do not pay for fuel (gasoline); renters pay for that. For CalShuttle Shuttles, the Shuttle vendors will pay for the fuel (electricity or hydrogen), increasing the cost-of-goods-sold, thereby reducing the gross margin.</p>
n12	<p>This bottom-up calculation of \$0.32 per Shuttle mile matches well with other estimates of \$0.37 and \$0.30 to \$0.50 per mile. [Keeney2017a, Othman2021a, Sperling2018a, Tran2025e]</p>

8.5 VTA BART Extension

8.5.1 Conclusion: 55,000 daily riders served by 1500 or fewer shuttles

CalShuttle would replace the VTA BART Extension service with 1,000 to 1,500 shuttles. These commuters are already included in the Section 8.1 analysis because, presumably, these riders are already commuting within Santa Clara county by some means. [VTA2021a]

Table 8-5. CalShuttle Replacement for VTA BART Extension

VTA BART Extension Shuttles Replacement			Early Operation			Later Operation				
	Unit	Factor	Item	(Sub) Totals	Factor	Item	(Sub) Totals	Formula	Source or Notes	
VTA BART Extension Projected Riders										
All 4 San Jose / Santa Clara BART station riders										
Both directions										
a	Total, all-day	Commuters		55,000		55,000		a	[VTA2021a]	
b	Total, morning or evening	Commuters	2	27,500	2	27,500		b = a / X	calc, 1	
c	Conversion to CalShuttle	Commuters	90.00%	24,750	95.00%	26,125		c = b*X	calc, 2	
d	Commuter per Shuttle loading	Shuttles	4	6,188	5	5,225		d = c/X	calc, 2	
e	Continuing in other Vehicles	Commuters		2,750		1,375		e = b-c	calc	
f	Total Commuter Vehicles trips			8,938		6,600		f = d+e	calc	
g	Total Shuttles needed commute		4	1,547	5	1,045		g = d/X	calc, 2	

8.5.2 Notes

- The VTA projection of 55,000 daily riders is divided in two: midnight to noon and noon to midnight. Then, to provide a very conservative estimate for commuting riders, the entire noon-to-midnight ridership is allocated to commuters.
- Two estimates are provided:
 Early operation after some acceptance has been achieved.
 Later operation after widespread acceptance has been achieved.
 This study presumes high adoption rate because these projected riders are already committed to public transit.

	Early Operation	Later Operation
% Change to Shuttles - adoption acceptance.	90%	95%
Commuter/Shuttle loading - average number of passengers per shuttle during commute hours.	4	5
Each Shuttle trips per commute - average number of trips per shuttle during each 4-hour commute period.	4	5

9 Terminology and References

9.1 Terminology

ACS	Automated connected shuttle
AS	Automated shuttle
AV	Autonomous vehicle
CAV	Connected autonomous vehicle
CSAV	Connected shared autonomous vehicle
ITS	Intelligent transportation system
MAAS	Mobility as a service
Microtransit	Demand responsive transport vehicle for hire
SAV / Robotaxi	Shared autonomous vehicle / Robotaxi
TAAS	Transit as a service

9.2 References

[511VTA2021a] VTA, as reported by 511.org.

> Santa Clara County VTA operates 520+ buses and 50 light rail cars.

<https://511.org/transit/agencies/vta>

[A4A2021a] A4A Passenger Airline Cost Index (PACI), Airlines for America, 4 October 2021.

> Airport landing fees are 2.5 percent of operating expenses.

<https://www.airlines.org/dataset/a4a-quarterly-passenger-airline-cost-index-u-s-passenger-airlines/>

[AAA2020a] How Much Does it Really Cost to Own a New Car?, AAA.

> Average annual cost to own a car: \$9561, with more detailed factors.

<https://newsroom.aaa.com/wp-content/uploads/2020/12/Your-Driving-Costs-2020-Fact-Sheet-FINAL-12-9-20-2.pdf>

[Abe2021a] Ryosuke Abe, Preferences of urban rail users for first- and last-mile autonomous vehicles: Price and service elasticities of demand in a multimodal environment, 5 April 2021.

> "AVs have diverse substitution patterns with existing modes. Riding in AV services is more likely to be a substitute for riding on buses/in slower modes of transit for all travel purposes, and for driving cars, particularly for leisure trips, but less likely for cycling and walking, particularly for work trips. The AV wait time elasticities might vary according to the waiting environment and conditions. The results also suggest that AVs may particularly benefit those who currently have restrictions in accessing transit."

<https://www.sciencedirect.com/science/article/pii/S0968090X2100125X>

[Adams2020a] Eric Adams, Why we're still years away from having self-driving cars, Vox Recode, 25 September 2020.

> Autonomous car operation still has technical issues to resolve. 5G will enable many useful features: "Though the cars will by and large be able to operate without connectivity, having a more robust, faster, higher-bandwidth wireless data system will significantly boost the autonomous vehicle network's capabilities. Cities will be able to optimize traffic patterns, cars will know ahead of time what the traffic signals will be at every intersection, and vehicles will communicate with each other to ease everything from lane changes to routing strategies based on congestion or weather. ... Researchers have already demonstrated the systems' abilities to precisely coordinate autonomous vehicles threading their way past each other with millisecond timing, thanks to all the vehicles automatically gauging their relative positions and deciding who goes where."

<https://www.vox.com/recode/2020/9/25/21456421/why-self-driving-cars-autonomous-still-years-away>

[Akers2021a] Mike Akers, Robotaxis coming to Las Vegas in 2023, Las Vegas Review-Journal, 9 November 2021.

> "Motional and Lyft have provided over 100,000 public rides around the Las Vegas Strip area while not having a single at-fault road incident since the service was launched at CES 2018."

<https://www.reviewjournal.com/local/traffic/robotaxis-coming-to-las-vegas-in-2023-2475015/>

[Akter2021a] Shanjeeda Akter and HM Abdul Aziz, Effectiveness of Automated Connected Shuttles (ACS) During COVID-19 Pandemic, ACM, 1 November 2021.

> Automated connected shuttles (ACSS) can deliver significant improvements in travel delays, energy consumption, and emission reductions.

<https://dl.acm.org/doi/pdf/10.1145/3486629.3490694>

[Angst2021a] Maggie Angst, Federal officials now say BART's San Jose extension could cost \$9.1 billion, San Jose Mercury News, Bay Area News Group, 25 October 2021.

> Federal officials now estimate the extension cost will be \$9.148 billion.

<https://www.mercurynews.com/2021/10/25/federal-government-awards-2-3-billion-for-barts-san-jose-extension/>

[Bansal2017a] Prateek Bansal and Kara M. Kockelman, Forecasting Americans' Long-Term Adoption of Connected and Autonomous Vehicle Technology, University of Texas, 2017.

> Predictions of advanced automobile technology adoption rates by 2045: Under the most favorable conditions, "... privately held light-duty vehicle fleet will have ... 87.2% under a 10% annual price drop and a 10% annual rise in WTP values."

https://www.cae.utexas.edu/prof/kockelman/public_html/trb16cavtechadoption.pdf

[Bagli2022k] Hannah Bagli et al, Automated Vehicles: Use, Share, Own? Young Adults' Perceptions of Automated Vehicles, Sage Journals, Transportation Research Record, November 2022, Vol. 2676, pp. 263-273.

> Per a 2022 survey, younger adults under the age of 35 are ambivalent towards AVs, with mostly between 40 and 50 percent extremely or somewhat comfortable with riding in an AV for everyday travel or relying on shared CAVs, or definitely or probably wanting to own a CAV.

<https://journals.sagepub.com/doi/10.1177/03611981221092382>

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

32

[Baron2024a] Ethan Baron and Ryan Macasero; Waymo wants to expand its driverless robotaxis to the Peninsula, opposition rises; The Mercury News; Jan 26, 2024.

<https://www.mercurynews.com/2024/01/25/waymo-wants-to-expand-its-driverless-robotaxis-to-the-peninsula-opposition-rises/>

[BayAreaMetro2016a] Vital Signs: Commute Patterns - Bay Area, 2016, 20 May 2020.

> Data on the number of commuters within and across county boundaries by transportation type - automobile, bus, streetcar, railroad, taxis, etc.

<https://data.bayareametro.gov/dataset/Vital-Signs-Commute-Patterns-Bay-Area/c33n-96bi>

Data source: U.S. Census Transportation Planning Package, Table A302103 5-Year Average (2012-2016)

<https://ctpp.transportation.org/2012-2016-5-year-ctpp/>

Table 9-1. Commuting Patterns for SF, SM, SC Counties, 2016.

Res_Geo_Short	Work_Geo_Short	Totals	Drove alone	2-person carpool	3-person carpool	4-person carpool	5-or-6-person carpool	7-or-more-person carpool	Bus	Streetcar or trolley	Railroad	Taxi	Motorcycle	Other
San Francisco	San Francisco	233,145	96,640	17,805	3,820	1,385	515	335	91,200	10,145	1,110	3,015	3,740	3,435
San Mateo	San Francisco	70,355	49,075	7,310	1,635	515	185	85	5,310	230	4,985	10	325	690
Santa Clara	San Francisco	14,650	7,455	975	140	55	25	35	720	60	5,065	15	15	90
San Francisco	San Mateo	47,440	34,880	3,660	745	215	170	135	4,675	230	1,735	135	305	555
San Mateo	San Mateo	190,210	157,070	17,100	3,305	1,295	585	250	6,595	80	1,445	105	480	1,900
Santa Clara	San Mateo	45,675	35,380	4,095	780	235	180	285	1,335	35	2,515	10	140	685
San Francisco	Santa Clara	26,750	12,605	1,540	250	95	20	140	6,845	175	4,045	35	95	905
San Mateo	Santa Clara	58,640	47,855	4,910	750	415	100	65	1,410	10	2,445	45	215	420
Santa Clara	Santa Clara	714,140	598,310	64,550	10,760	3,225	1,985	815	19,105	1,225	4,790	1,075	3,020	5,280
Total, all		1,401,005	1,039,270	121,945	22,185	7,435	3,765	2,145	137,195	12,190	28,135	4,445	8,335	13,960
Total, without SF to SF		1,167,860	942,630	104,140	18,365	6,050	3,250	1,810	45,995	2,045	27,025	1,430	4,595	10,525

[Bezai2019a] Nacer Eddine Bezai et al, Future cities and autonomous vehicles: analysis of the barriers to full adoption, Selected papers of The International Conference on Energy and Sustainable Futures (ICESF) 2019, Science Direct, 22 July 2019.

Page 66: "It is anticipated that AVs will increase safety and comfort [7,9], and reduce traffic congestions, pollution, fuel consumption, as well as facilitate further the mobility accessibility to disabled and older people. Also, self-driving will decrease the number of accidents and crashes through the vehicle to vehicle communication [8,10]. Besides safety, several scholars have discussed further in prospect benefits of adopting AVs, as shown in Table 2."

<https://www.sciencedirect.com/science/article/pii/S2666123320300398>

[Biermann2023] Hannah Biermann et al; Autonomous Shuttle or Conventional Cab? Investigating Users' Decision to Share a Ride; Human Factors in Transportation, AHFE International, Vol 95; 2023.

> In this study, 56.3% of participants would book an SAV service vs. 43.8% would book at conventional service (taxi, bus, or train).

file:///C:/Users/mike%20user/Downloads/978-1-958651-71-1_9.pdf

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

33

[Bischoff2016a] Joschka Bischoff and Michal Maciejewski, Simulation of city-wide replacement of private cars with autonomous taxis in Berlin, Science Direct, 2014.

> An AV fleet of 100,000 vehicles could replace 1.1 million commuting private cars with commute pickup wait times of 5 minutes (average) to 15 minutes (95th percentile).

> An AV fleet of 130,000 vehicles could replace 1.1 million commuting private cars with shorter wait times.

<https://www.sciencedirect.com/science/article/pii/S1877050916301442>

[Bogdoll24a] Daniel Bogdoll et al; On The Impact of Replacing Private Cars with Autonomous Shuttles: An Agent-Based Approach; Karlsruhe Institute of Technology; Jan 19,2024.

<https://www.semanticscholar.org/reader/d948b58c3d2f5b137fa00c0101579d8f3b6b4049>

[Bosch2017a] Patrick M. Bosch et al, Cost-based analysis of autonomous mobility services, Science Direct, 23 October 2017.

> Section 6.2, AV vans, 8 passengers, full load: Automated vehicle service costs \$0.37 per passenger mile (converted from Swiss Franc CHM 0.21 per kilometer), including direct operations and overhead. This does not include agency overhead (e.g., CalShuttle) or profit.

<https://www.sciencedirect.com/science/article/pii/S0967070X17300811>

[Browning2021] Corey Browning, San Mateo County looks to autonomous vehicles for transit future, The Daily Journal, 29 November 2021.

> San Mateo County is looking ahead 5, 10, 20 years and considering autonomous vehicles including shuttles for public and private transportation.

https://www.smdailyjournal.com/news/local/san-mateo-county-looks-to-autonomous-vehicles-for-transit-future/article_8ea80fc2-50f4-11ec-b2f8-67a0495f6fe7.html#tncms-source=login

[BTSCR2022a] Framework for Assessing Potential Safety Impacts of Automated Driving Systems, Behavioral Traffic Safety Cooperative Research Program, National Academies of Science, 2022.

> A framework for state and localities to evaluate the safety of automated driving systems (ADS).

<https://nap.nationalacademies.org/download/26791>

[Caltrain2021a] Background on Caltrain Corridor Grade Crossings and Separations. Caltrain Business Plan, 24 February 2021.

> Total Corridor Wide Cost Estimate for Crossings: \$10.2 billion for High-Growth Service Vision.

<https://www.caltrain.com/Assets/1Background+on+Caltrain+Corridor+Grade+Crossings+!26+Seaprations.pdf>

[Caltrain2023a] Corridor Crossing FAQs, Caltrain, 2023.

> "On average, a grade separation project on the railroad takes approximately 10 years to as much as 15 years.

The duration of a grade separation project, from initial planning to construction close out, varies greatly depending on a few key factors: the size of grade separation, funding availability, community acceptance, right-of-way acquisition, and utility relocation needed."

<https://www.caltrain.com/ccs/faqs>

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

34

[Cappgemini2021a] What do automakers really understand what consumers want from self-driving cars, Cap Gemini, 2021.

Consumers: United States: Within 10 years, 63% will prefer AVs over human-driven cars. Worldwide: 59% looking forward to AVs, within 5 years 52% would prefer AVs over driving themselves, 54% comfortable transporting family members and friends, 50% expect AVs to save time.

<https://www.cappgemini.com/us-en/research/the-autonomous-car/>

[Cauthen2019a] Gerald Cauthen, Getting the downtown extension back on track, Opinion, San Francisco Examiner, 16 July 2019. DTX Phase I cost \$4.2 billion.

<https://www.sfoxaminer.com/opinion/getting-the-downtown-extension-back-on-track/>

[Census2019a] Household Size by Vehicles Available, United States Census Bureau, 2019. Counts of households by county with multiple vehicles.

<https://data.census.gov/cedsci/table?q=B08201&g=0500000US06075,06081,06085&tid=ACSDT1Y2019.B08201&hidePreview=true>

Table 9-2. Vehicle Counts by County; reductions by 1 per 50% of households (Mike Forster)

Item	San Francisco County, California	San Mateo County, California	Santa Clara County, California	Calculation Notes
1 vehicle available	152,418	77,405	180,173	a3
1 vehicle total all 3 counties			409,996	b = sum(a3)
% Reduce family vehicle count to 0			25%	c (assumption)
Number of vehicles reduced			102,499	d = b x c
2 vehicles available	67,285	105,675	259,249	e3
3 vehicles available	21,483	41,919	105,936	f3
4 or more vehicles available	6,328	24,941	61,749	g3
2 or more vehicles by county	95,096	172,535	426,934	h3 (sums)
2 or more vehicles all 3 counties			694,565	i = sum (h3)
% Reduce family vehicle count by 1			50%	j (assumption)
Number of vehicles reduced			347,283	k = i x j
Total vehicles reduced 3 counties			449,782	l = d+k

[Chan2012a] Nelson D. Chan and Susan A. Shaheen, Ridesharing in North America: Past, Present, and Future; Transportation Sustainability Research Center - Institute of Transportation Studies, University of California, Berkeley; 2012.

Key areas to influence future development: "technology interoperability and integration, enhanced casual carpooling, and public policy."

https://escholarship.org/content/qt3qm8k0c5/qt3qm8k0c5_noSplash_0e2c35f8894139a019d5e50bd42cbaa3.pdf

[Chakra2022j] Rick Chakra, Exiting the Simulation: The Road to Robust and Resilient Autonomous Vehicles at Scale, arxiv.org, October 2022.

> "Provides a background of the AV industry and outlines the associated development and testing guidelines. ... and presents a survey of the various simulation frameworks and methodologies that have been developed to explore the edge of autonomous driving capabilities, which facilitate the development of robust driving policies and extract hidden risks."

<https://www.google.com/search?client=firefox-b-l-d&q=arxiv>

[Chakravarty2020a] Sayan Chakravarty, A top speed of 75 mph, no driving controls, and a host of sensors – Amazon has built a self-driving electric robotaxi and it looks straight out of a sci-fi movie, Luxury Launches, 15 December 2020.

> "The Amazon-owned Zoox "robotaxi features a massive 133 kWh battery pack claimed to provide up to 16 hours of operation on a single charge. ... and can hit a top speed of 75mph."

<https://luxurylaunches.com/transport/a-top-speed-of-75-mph-no-driving-controls-and-a-host-of-sensors-amazon-has-built-a-self-driving-electric-robotaxi-and-it-looks-straight-out-of-a-sci-fi-movie.php>

[Chambard2023e] August Chambard; Reimagining Streets through the Autonomous Car; Virginia Polytechnic Institute and State University; May 10, 2023.

> Investigates opportunities for 4 different types of streets.

> "... the adoption of autonomous cars has the potential to transform urban form reclaiming street space for people, but also requires careful planning and design to ensure that the benefits are distributed equitably and the negative impacts are minimized."

https://vtechworks.lib.vt.edu/bitstream/handle/10919/115773/Chambard_AA_T_2023.pdf

[Charleton2021a] Alistair Charlton, Wireless electric vehicle charging explained, techradar, 18 October 2021.

> Wireless charging is already being tested in 2021, with a target cost of \$3,500 per charger plus installation.

<https://www.techradar.com/news/wireless-electric-vehicle-charging>

[Chen2024a] Xianhao Chen et al; Vehicle as a Service (VaaS) - Leverage Vehicles to Build Service Networks and Capabilities for Smart Cities; IEEE Communications, 01 Jan 2024.

> Vehicles as a Service (VaaS).

<https://scholars.cityu.edu.hk/ws/portalfiles/portal/236777404/221448209.pdf>

[CleanPowerSF2021a] San Francisco Businesses Benefit from CleanPowerSF, CleanPowerSF.org, 2021. Rates are comparable to [ElectricityLocal2021a].

<https://www.cleanpowersf.org/commercial>

[Conner-Simons1916a] Adam Conner-Simons, Study: carpooling apps could reduce taxi traffic 75%, MIT CSAIL, 1 December 2016.

"... 3,000 four-passenger cars could serve 98 percent of taxi demand in New York City, with an average wait-time of only 2.7 minutes." "The team also found that 95 percent of demand would be covered by just 2,000 ten-person vehicles, compared to the nearly 14,000 taxis that currently operate in New York City. Using data from 3 million taxi rides, the new algorithm works in real-time to reroute cars based on incoming requests, and can also proactively send idle cars to areas with high demand - a step that speeds up service 20 percent ..."

<https://www.csail.mit.edu/news/study-carpooling-apps-could-reduce-taxi-traffic-75>

[Cynthia2021a] Ejike Cynthia, How Much Money Do Car Rental Businesses Make (Profit Margin), Profitable Venture, 2021.

> "... car rental companies generally produce net income margins of 5 to 10 percent."

<https://www.profitableventure.com/profit-margin-car-rental-business/>

[Damodaran2021a] Aswath Damodaran, NYU, January 2021.

> Gross (profit) margins for industries are: Air Transport 5.38 percent, Auto & Truck 9.04 percent, Transportation 19.91 percent.

https://pages.stern.nyu.edu/~adamodar/New_Home_Page/datafile/margin.html

[Dans2017a] Enrique Dans, Why carpooling is the future, whether you like it or not, medium.com, 1 January 2017.

> "Without a doubt, carpooling will be part of the urban life in a very short time. Whether electric or self-driven or both, the idea of moving a metal object weighting several hundred kilograms to transport a single person make no sense, and technology has advanced sufficiently to make it possible to efficiently coordinate the travel of the different people in a pool."

<https://medium.com/enrique-dans/why-carpooling-is-the-future-whether-you-like-it-or-not-b84e654abf1d>

[Dans2021f] Enrique Dans, The future of autonomous vehicles: product or service?, medium.com (previously published on Forbes), 17 June 2021.

> "As the autonomous driving sector takes shape, we see Tesla ... will soon ... operate a fleet of robotaxis ... companies like Waymo, Didi or AutoX ... already operate fleets of fully autonomous cabs that are part of the landscape of several cities in the US, China and Russia. Some traditional companies such as Volvo are also aiming to operate fleets of this type or to supply autonomous vehicles for other competitors."

> "... companies like GM aim to market autonomous vehicles directly to the public by around 2030."

> "... LiDAR sensors, for example, have experienced very steep reductions in price and size from 2015's "spinning KFC bucket" that cost about \$75,000 to today's \$100 the size of a soda can or even smaller."

<https://medium.com/enrique-dans/the-future-of-autonomous-vehicles-product-or-service-b87fbe758d24>

[Dans2022i] Enrique Dans, Is autonomous driving about to take a wrong turn?, medium.com, Dec 5, 2022.

> "Jidu Automotive, a joint venture created by Chinese vehicle maker Geely and technology giant Baidu, has announced plans to put its self-driving electric car, the Robo-01 Lunar Edition, on sale next year at around \$55,000."

> "What seems to be clear with the launch of an autonomous vehicle with an optional detachable steering wheel for end users is that the technology, which many have dismissed as impossible until many years from now, has already reached a level of maturity thanks to the application of machine learning. The sheer size of the Chinese automotive market, equivalent to the United States, Europe and Japan combined, should generate economies of scale that would make the technology available relatively quickly."

> Simply replacing one-person-per-vehicle AVs will not reduce traffic congestion, etc.

<https://medium.com/enrique-dans/is-autonomous-driving-about-to-take-a-wrong-turn-583af6a8853d>

[Davalos2021a] Jackie Davalos, Uber to Pilot Driverless Food Delivery in California in 2022, Bloomberg, 16 December 2021.

> Uber Eats deliveries will pilot driverless deliveries in Santa Monica in 2022.

> "Lyft ... will test self-driving taxi rides in Las Vegas ... starting in 2023."

<https://www.bloomberg.com/news/articles/2021-12-16/uber-to-pilot-autonomous-food-delivery-in-california-in-2022>

[d-line2018a] The Impact of Shared and Autonomous Robo-Taxis on Future Urban Mobility: A Simulation Approach for Milan 2030, d-line GMBH and Agenzia Mobilità Ambiente Territorio (AMAT), 2018.

> 30% usage of 9,500 robo-taxis, a 33% acceptance rate of current car users, and 10% peak demand decrease would eliminate traffic congestion (page 5).

> 6-seater robo-taxi vehicles with an average of 4 passengers per trip at an average of 25 mph should result in an acceptable 10-minute extra travel time (Figure 7).

https://www.d-fine.com/fileadmin/user_upload/pdf/insights/whitepapers/Shared-Autonomous-Robo-Taxis-Urban-Mobility-Milan-2018.pdf

[DeNicola2020a] Louis DeNicola, What Is the Average Interest Rate on a Business Loan? Experian, 8 October 2020.

> Traditional bank loan rates range from 2 percent to 13 percent.

<https://www.experian.com/blogs/ask-experian/what-is-the-average-interest-rate-on-a-business-loan/>

[deRoos2023a] Mark A. de Roos; The Feasibility and Preconditions for Autonomous Driving in Built-Up Areas for a Thesis; Leiden Institute of Advanced Computer Science (LIACS), Jan 6, 2023.

> "... feasibility and preconditions for autonomous driving in built-up areas."

<https://theses.liacs.nl/pdf/2022-2023-deRoosMurk.pdf>

[Dickson2021a] Ian Dickson, Electric car battery life: how to preserve your battery, driving electric, 19 August 2021.

> "It's better to let the capacity run down to 10 or 20%, then recharge to around 80%."

<https://www.drivingelectric.com/your-questions-answered/96/electric-car-battery-life-how-preserve-your-battery>

[Dlugosch2022g] Oliver Dlugosch et al, Combining analytics and simulation methods to assess the impact of shared, autonomous electric vehicles on sustainable urban mobility, Information & Management, July 2022.

> 26 charge points sufficiently supports 700 SAVs (Table 5, 700 SAVs, 0.4% waiting time above 10 minutes.)

<https://www.sciencedirect.com/science/article/pii/S037872061930182X?via%3Dihub>

[DOE2021a] Charging Infrastructure Operation and Maintenance, U.S. Department of Energy, 2021.

> "... station owners should estimate maintenance costs of up to \$400 annually, per charger."

https://afdc.energy.gov/fuels/electricity_infrastructure_maintenance_and_operation.html

[Dong2021a] Jocelyn Dong, Could new rail project ease traffic gridlock on Dumbarton Bridge?, Palo Alto Weekly / Mountain View Voice, 17 March 2021.

> Cost of transit options across the Dumbarton route range from \$2.43 to \$3.32 billion.

<https://mv-voice.com/news/2021/03/17/could-new-rail-project-ease-traffic-gridlock-on-dumbarton-bridge>

[Dow2022i] Jameson Dow, GM Cruise robotaxis start service in Tesla's Austin – FSD still nowhere to be found, Electrek, December 22, 2022.

<https://electrek.co/2022/12/22/gm-cruise-robotaxis-start-service-in-teslas-austin-fsd-still-nowhere-to-be-found/>

[Duffy2021a] Ryan Duffy, We spent two days riding Waymo's driverless taxis and it felt surprisingly normal, Morning Brew, 16 July 2021.

> Waymo's driverless robotaxis are operational in Phoenix, Arizona suburbs.

<https://www.morningbrew.com/emerging-tech/stories/2021/07/16/spent-two-days-riding-waymos-driverless-taxis-felt-surprisingly-normal>

[EEC2019a] How Much Do Electric Cars Weigh (with 10 Examples), Easy Electric Cars, 17 May 2019.

> List of electric car weights and passenger capacities.

<https://www.easyelectriccars.com/how-much-do-electric-cars-weigh-with-10-examples/>

[ecocost2021a] Electric Car kWh Per Mile List, eco cost savings.

2012 Azure Dynamics Transit Connect Electric Van uses 0.54 kWh/mile.

<https://ecocostsavings.com/electric-car-kwh-per-mile-list/>

[Edmonds2019a] Ellen Edmonds, Three in Four Americans Remain Afraid of Fully Self-Driving Vehicles, AAA Newsroom, 14 March 2019.

> 71 percent of people are afraid to ride in fully self-driving vehicles.

<https://newsroom.aaa.com/2019/03/americans-fear-self-driving-cars-survey/>

[Ehsani1923d] Johnathon P. Ehsani, Jeffrey P. Michael, Ellen J. MacKenzie, The Future of Road Safety: Challenges and Opportunities, The Milbank Quarterly Volume 101, Apr 2023.

> Presents the Safe Systems approach to future road design and usage, including AVs for public transportation.

<https://onlinelibrary.wiley.com/doi/epdf/10.1111/1468-0009.12644>

[ElectricityLocal2021a] Electricity Rates, Electricity Local.

Average commercial electricity rates per kWh: San Francisco \$0.0898, San Mateo \$0.1408, San Jose \$0.1408.

<https://www.electricitylocal.com/states/california/san-francisco/>

[Electropedia2021a] Electric Vehicle Charging Infrastructure, Electropedia, 2021.

> The Wireless Inductive Charging system "has been in use for over 10 years in shuttle buses which follow a short well defined route, picking up energy at each bus stop from coils mounted in the road. It is not yet in common use in small passenger vehicles but design teams are working on suitable systems with power transfer levels up to 10kW."

<https://www.mpoweruk.com/infrastructure.htm>

[Emilio2021a] Maurizio Di Paolo Emilio, Wireless Charging Technology for EVs, Power Electronics News, 27 May 2021.

> "... most wireless charging devices will operate at approximately 92%, $\pm 2\%$ efficiency. However, this is not dramatically lower than a wired charging device ... an efficiency of 96%, $\pm 2\%$.."

<https://www.powerelectronicsnews.com/wireless-charging-technology-for-evs/>

[Faggella2020a] Daniel Faggella, The Self-Driving Car Timeline – Predictions from the Top 11 Global Automakers, Emerj, 14 March 2020.

- > BMW: partnered with Daimler.
- > Daimler: Large-scale commercial production of self-driving cars by 2025.
- > Hyundai: Urban driving by 2030.
- > Renault-Nissan: 2025 for truly driverless cars.
- > Volvo: Full autopilot would at first cost \$10,000.
- > Fiat-Chrysler, Ford, GM, Honda, Tesla, Toyota: No predictions reported past 2021.

<https://emerj.com/ai-adoption-timelines/self-driving-car-timeline-themselves-top-11-automakers/>

[Fagnant2014a] Daniel Fagnant and Kara M. Kockelman, The Travel and Environmental Implications of Shared Autonomous Vehicles, using Agent-Based Model Scenarios, University of Texas, 2014.

> "... each SAV has the ability to replace nearly 12 privately owned vehicles, on average. Such findings indicate that almost eleven parking spaces can be eliminated for every SAV."

https://www.cae.utexas.edu/prof/kockelman/public_html/TRB14SAVenergy_emissions.pdf

[Fagnant2015a] Daniel J. Fagnant and Kara Kockelman, Preparing a nation for autonomous vehicles: opportunities, barriers and policy recommendations, University of Texas; October 2013 and July 2015.

https://www.cae.utexas.edu/prof/kockelman/public_html/ENORReport_BCAsAVs.pdf

https://www.researchgate.net/publication/277025982_Preparing_a_nation_for_autonomous_vehicles_Opportunities_barriers_and_policy_recommendations


[Fee2004i] The Great Horse-Manure Crisis of 1894, Fee, Sep 1, 2004.

<https://fee.org/articles/the-great-horse-manure-crisis-of-1894/>

[FHA2022a] Typical Walking Distance to Transit, Actions to Increase the Safety of Pedestrians Accessing Transit, Federal Highway Administration, 2022 (web page available).

> "Most people are willing to walk for five to ten minutes, or approximately ¼- to ½-mile to a transit stop (see figure below). ... Therefore, in order to encourage transit usage, safe and convenient pedestrian facilities should be provided within ¼- to ½-mile of transit stops and stations. ... Note that bicyclists are often willing to ride significantly further than ½-mile to access rail transit stations, so safe facilities should be provided for bicycling within a larger catchment area around transit hubs."

https://safety.fhwa.dot.gov/ped_bike/ped_transit/ped_transguide/ch4.cfm



[FHWA2014a] Traffic Monitoring Guide - Chapter 3 Traffic Monitoring Methodologies, Federal Highway Administration, 2013; updated 7 November 2014.

> Figure 3-3: Hour of Day for Urban, Rural, and Recreational Sites

A manual extraction of percentages from this chart reveals that Urban (weekday) commute hours traffic from 6 to 10 am and 3 to 8 pm totals 60 percent of vehicle trips, and the remaining 16 hours totals 40 percent of vehicle trips.

> Figure 3-4: Day of the Week for Urban, Rural, and Recreational Sites (Weekend)

A manual extraction of percentages from this chart reveals that Saturday vehicle trips are 7 percent lower and Sunday 26 percent lower than the weekday average.

https://www.fhwa.dot.gov/policyinformation/tmguidetmg_2013/traffic-monitoring-methodologies.cfm

[FHWA2020a] Impacts of Automated Vehicles on Highway Infrastructure, Federal Highway Administration, 2020.

> Standardized pavement markings, signage, and other infrastructure will enable AVs to operate better; costs are TBD.

<https://www.fhwa.dot.gov/publications/research/infrastructure/pavements/21051/21051.pdf>

[Ford2020a] Leading the Charge: All-Electric Ford E-Transit Powers the Future of Business with Next-Level Software, Services and Capability, Ford Motor Company, 12 November 2020.

2022 Ford E-Transit cargo van MSRP starts at \$45,000.

<https://media.ford.com/content/fordmedia/fna/us/en/news/2020/11/12/all-electric-ford-e-transit.html>

[Ford2021a] 2021 Transit Passenger Van XLT, Ford Motor Company.

MSRP starts at \$43,785, curb weight 8550 lbs, seating capacity 10.

<https://www.ford.com/trucks/transit-passenger-van-wagon/models/transit-xlt/>

[Forsgren2018a] Kurt Forsgren, Dhaval Shah, and David Lum, The Road Ahead for Autonomous Vehicles, S&P Global, 14 May 2018.

> "... the revolution follow our high disruption scenario where AVs comprise a 30% share of light vehicle sales by 2030 and 50% by 2040 ..."

<https://www.spglobal.com/en/research-insights/articles/the-road-ahead-for-autonomous-vehicles>

[Fried2018a] Ben Fried, Uber and Lyft Are Overwhelming Urban Streets, and Cities Need to Act Fast, StreetsBlog NYC, 25 July 2018.

> Transportation network companies add 3 miles deadheading to a typical 5.2 mile passenger trip, or 58 percent.

<https://nyc.streetsblog.org/2018/07/25/uber-and-lyft-are-overwhelming-urban-streets-and-cities-need-to-act-fast/>

[García-Palomares2018a] Juan Carlos García-Palomares, Analysing proximity to public transport: the role of street network design, Boletín de la Asociación de Geógrafos Españoles, 76, 102-130, 20 March 2018.

> "Distance from home or the origin of any other journey made to transit stations has a negative impact on the use of public transport. ... the tendency to use the railways in Holland is 20% higher among people who live less than 500 metres from a station than among those who live between 500 and 1000 metres from it. ... that Californians living within one half mile (0.8 kilometres) of a transit station were four time more likely to use transit than those living between one half mile and three miles (4.8 kilometres) of transit"

<https://dialnet.unirioja.es/descarga/articulo/6388656.pdf>

[Gates2023c] Bill Gates, The rules of the road are about to change, GatesNotes, Mar 29, 2023.

> "We've made tremendous progress on ... AVs, in recent years, and I believe we'll reach a tipping point within the next decade. ... AVs will change transportation as dramatically as the PC changed office work."

> "... passenger cars will likely be one of the last vehicle types to see ... adoption. Long-haul trucking will probably be the first sector, followed by deliveries. When you finally do step into an AV, it will likely be a taxi or a rental car. (Rental car companies lose a lot of money every year to driver-caused accidents, so they're eager to transition to an AV fleet that is—at least in theory—less accident-prone.)"

> "That type of shift is likely decades away, if it happens at all. ... people might not feel comfortable riding in a car without a steering wheel at first. But I believe the benefits will convince them."

<https://www.gatesnotes.com/Autonomous-Vehicles>

[Gatzert2020c] Nadine Gatzert, and Katrin Osterrieder, The future of mobility and its impact on the automobile insurance industry, Risk Management and Insurance Review, Wiley Online Library, Mar 10, 2020.

> Automobile insurance costs will reduce overall and for individual households.

<https://onlinelibrary.wiley.com/doi/10.1111/rmir.12140>

[Geisslinger2023h] Maximilian Geisslinger et al; Maximum Acceptable Risk as Criterion for Decision-Making in Autonomous Vehicle Trajectory Planning; IEEE Journal of Intelligent Transportation Systems; Aug 14,2023.

> Implementing AV algorithms by applying the concept of "maximum acceptable risk enhances safety even when risk is already minimized using a cost function."

<https://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=10195149>

[GNY2021a] Electric Vehicle Charging Stations, GNY Insurance Companies, 2021.

> "... industry experts predict a lifespan of 10 years."

<https://www.gny.com/products/electric-vehicle-charging-stations>

[Goldman2018a] Michael Goldman, Commute Distance in US Metro Areas, blogspot.com, 1 June 2018.

> SF Bay Area average commute distance 20.3 miles.

<http://meetingthetwain.blogspot.com/2018/06/commute-distance-in-us-metro-areas.html>

[Golomb2021a] Vitaly M. Golomb, Lyle Finkler, and Aleksandra Lebedieva, State of the Advanced Mobility Industry 2021: The Great Acceleration of Electrification and Autonomy, Drake Star Partners, April 2021.

> Page 15: Connectivity diagram of auto giants' alliances with tech firms and mobility service providers.

> Page 37: "According to research by LexisNexis Risk Solutions, ADAS vehicles showed a 27% reduction in bodily injury claim frequency and a 19% reduction in property damage frequency."

> Page 37: More than 90 percent of new cars will have ADAS (Level 2+) features by 2030.

> Page 101: "... the controlled pace of each autonomous car could reduce traffic for an additional 20 vehicles."

> Page 101: "Reducing human reaction times and the subsequent traffic waves, can reduce total fuel consumption by up as much as 40 percent."

> Page 102: "Approximately 94% of motor vehicle accidents are caused by human error. This is an obvious area where autonomous vehicles—that see better and are always alert—can make a major difference. In 2015, the US racked-up over 4.5 million crashed with property-damage-only, 1.7 million that caused injuries, and 32,538 that caused fatalities. ... we estimate that eliminating accidents can save up to \$501 billion annually."

> Page 102: "Autonomous driving can free-up billions of additional work hours for commuters. ... In 2015, a report released by the Texas Transportation Institute (TTI) estimated that the average driver logged an additional commute 42 hours annually due to traffic jams. These figures show us that a possible \$134 billion of additional earnings could be reclaimed annually."

> Page 109: AVs go mainstream by the late 2020s, reach significant acceptance by the mid-2030s

> Page 114: "Self-driving cars are inevitable. It is only a question of time. Morgan Stanley estimates that autonomous vehicles can save just the US economy a total of \$1.3 trillion per year. The technology will disrupt the transportation industry from passenger car to mass transit. ... In the near term, ride-hailing business will be the first to have a financially-viable reason to replace human drivers. For this reason, robotaxis are expected to come before mainstream autonomous passenger vehicles. As we transition to an access economy, urban consumers will increasingly favor a driverless-car booking over car ownership."

https://www.drakestar.com/wp-content/uploads/2016/09/DrakeStar_Mobility_Report-Apr_2021.pdf

[Gora2016a] Pawel Gora and Inga Rub, Traffic models for self-driving connected cars, Science Direct, April 2016.

> "There are premises to suspect that introducing autonomous and connected vehicles may revolutionize the whole transportation area. Thanks to self-driving cars, disabled people, elders or people without valid driver's license, could safely travel to long distances. ... Public and private transportation may change as well, taxis and buses may be replaced by cars on-demand, shared among many passengers, being in motion almost all the time, instantly picking people up on call (thus, this approach may reduce demand for parking places and improve space utilization in urban areas - the need for parking space in the United States may be reduced by more than 5.7 billion square meters ... reduced demand for parking may reduce number of cars driving in the city center (it is estimated that 30% of traffic congestion in downtown areas in big cities is generated by vehicles cruising for unoccupied parking spot ... Passengers will be able to spend their travel time working or relaxing."

> "In addition, thanks to V2V communication cars could potentially exchange information about their positions, speeds, routes, plans for changing speed or lane, turning, stopping. They could let other cars know about their intentions and collaboratively agree on common driving strategies, which would ensure safety and be in some terms optimal for achieving desired goals. It is estimated that self-driving cars could reduce the number of accidents by 90%, saving many lives and yearly about \$190 billion in U.S. ... The self-driving revolution is expected to be the greatest thing to happen to public health in the 21st century ..."

<https://www.sciencedirect.com/science/article/pii/S2352146516302423>

[Greschler2023d] Gabriel Greschler, Robot shuttles at San Jose airport? Major transit plan moves forward, San Jose Mercury News, Apr 20, 2023.

> San Jose leaders considering a fleet of robotic shuttles for travel between San Jose Mineta Airport and downtown San Jose, using a dedicated new guideway.

<https://www.mercurynews.com/2023/04/18/robot-shuttles-at-san-jose-airport-major-transit-plan-moves-forward>

[Greschler2023j] Gabriel Greschler; San Jose BART extension will take 10 years longer than expected — at more than double the cost; San Jose Mercury News, Oct 4, 2023.

> "Officials now expect the project to be completed in 2036 and cost \$12.2 billion."

<https://www.mercurynews.com/2023/10/04/san-jose-bart-extension-will-be-further-delayed-and-cost-more/>

[Griner2022i] Allison Griner, On the road in San Francisco, riding in a driverless taxi, Aljazeera, December 27, 2022.

<https://www.aljazeera.com/news/2022/12/27/on-the-road-in-san-francisco-riding-in-a-driverless-taxi>

[Gupta2021a] Vrinda Gupata, Self-driving cars could be decades away, no matter what Elon Musk said, dailybrief (reported in the Wall Street Journal), 2021

> "... self-driving cars may either take many decades to materialize or never emerge ..."

<https://read.getdailybrief.com/digests/self-driving-cars-could-be-decades-away-no-matter-what-elon-musk-said>

[Gurumurthy2020a] Krishna Murthy Gurumurthy and Kara Kockelman, Modeling Americans' autonomous vehicle preferences: A focus on dynamic ride-sharing, privacy & long-distance mode choices, Research Gate, January 2020.

> Survey results for 2588 Americans, including 1258 Texans.

> Willingness to use dynamic ride-sharing autonomous vehicles with strangers:

- Middle of the day: 62 percent for 0 minutes additional time, \$0.74 per trip-mile.

- Middle of the day: 53 percent for 5 minutes additional time, \$0.73 per trip-mile.

- Middle of the day: Maximum trip duration: 29 minutes (mean).

- Nighttime: 16 percent (with qualifications).

- Nighttime: Maximum trip duration: 34 minutes (mean).

- Acceptable cost per mile, response time under: 1 minute \$0.75; 2 minutes \$0.71; 5 minutes: \$0.64.

> "Regardless of the household's income bracket, there seems to be wide consensus in favoring SAVs as they are expected to turn out to be the most affordable alternative."

> "SAV service boasting low added travel time on shared rides can attract several riders, and when used in tandem with smart pricing to cater to the distribution of WTP, it can be an effective service."

> "Americans expect much of their long-distance travel (for trips over 50 miles, one-way) to shift toward AVs and SAVs. For example, nearly 50% of trips between 50 and 500 miles (one-way) are expected to eventually take place in an AV or SAVs ..."

https://www.researchgate.net/publication/338313268_Modeling_Americans%27_autonomous_vehicle_preferences_A_focus_on_dynamic_ride-sharing_privacy_long-distance_mode_choices

[Hamblen2022i] Matt Hamblen, Ford extends ADAS hands free driving for Ford Mustang Mach-E this fall, Fierce Electronics, Sep 8, 2022.

> Ford enhances Advanced Driver Assistance Systems (ADAS) in Mustang Mach-E in fall of 2022

<https://www.fierceelectronics.com/sensors/ford-extends-adas-hands-free-driving-ford-mustang-mach-e-fall>

[Hamlin2025f] Katrina Hamlin; Robotaxis go from hype to maybe, possibly, profit; Reuters, 4 Jun 2025.

<https://www.reuters.com/breakingviews/robotaxis-go-hype-maybe-possibly-profit-2025-06-04>

[Hansen2022k] Kristoffer Vik Hansen, Mixed Fleets: The Future of Microtransit and Paratransit, Mass Transit, Nov 29, 2022.

> "Research suggests that ride hailing is replacing the use of public transportation, providing plenty of benefits including low wait times and flexibility."

<https://www.masstransitmag.com/alt-mobility/shared-mobility/article/21286212/mixed-fleets-the-future-of-microtransit-and-paratransit>

[Hart2021a] Christopher A Hart, Driverless Motor Vehicles: Not Yet Ready for Prime Time, The National Academies of Sciences, Engineering, Medicine (NASEM), 30 September 2021.

> "The potential benefits of driverless vehicles are significant. Removing the driver greatly reduces or eliminates human error as well as risks due to human fatigue, distraction, and impairment. These factors account for the loss of nearly 40,000 lives every year in the United States. But major challenges must be addressed before driverless motor vehicles will be ready and accepted by the public for widespread use."

<https://www.nationalacademies.org/news/2021/09/driverless-motor-vehicles-not-yet-ready-for-prime-time>

[Harto2020a] Chris Harto, Electric vehicle owners spending half as much on maintenance compared to gas-powered vehicle owners, finds new CR analysis, Consumer Reports, 24 September 2020.

> "...drivers of electric vehicles are saving an average of 50% on maintenance and repair over the life of a vehicle compared to owners of gas-powered vehicles."

https://advocacy.consumerreports.org/press_release/electric-vehicle-owners-spending-half-as-much-on-maintenance-compared-to-gas-powered-vehicle-owners-finds-new-cr-analysis/

[Hogeveen2021a] Peter Hogeveen et al, Quantifying the Fleet Composition at Full Adoption of Shared Autonomous Electric Vehicles: An Agent-based Approach, ResearchGate, 28 February 2021.

> Figure 2: Number of conventional vehicles replaced by shared autonomous electric vehicles per previous modeling studies: 7, 8, 9, 10, 10, 20.

https://www.researchgate.net/publication/351676521_Quantifying_the_Fleet_Composition_at_Full_Adoption_of_Shared_Autonomous_Electric_Vehicles_An_Agent-based_Approach

[Hogeveen2021b] Peter Hogeveen et al, The Energy Consumption of Passenger Vehicles in a Transformed Mobility System with Autonomous, Shared and Fit-For-Purpose Electric Vehicles in the Netherlands, The Open Transportation Journal, Semantic Scholar, 10 June 2021.

> Electric SAV characteristics assumed by this study: passengers, top speed, weight, energy use:

- Single: 1, 130 km/h, 450 kg, 40 Wh/km.

- Multiple: 1 to 10, 160 km/h, 1600 kg, 160 Wh/km [96 mph, 3520 lbs, 0.26 Wh/mi]

<https://pdfs.semanticscholar.org/1413/fc3885666f35201d94e91707c5f9841155d3.pdf>

[Horl2017a] Sebastian Horl, Agent-based simulation of autonomous taxi services with dynamic demand responses, Science Direct, 2017.

> "Future predictions foresee a considerable increase of the effective road capacity through intelligent and interconnected vehicles. A fleet of autonomous taxis would drastically reduce the need for parking space in the city and would, therefore, open space for additional lanes to increase the capacity or even make cities a more friendly, greener and liveable place. ... On the flip-side, more vehicles might be observed on the roads if autonomous vehicles [AVs] get so comfortable, cheap and available that aggregated transit forms such as busses or trains become obsolete."

> Figure 2 and Table 1: With a large fleet size, about 21 per cent of riders choose AV pool sharing with a maximum of 4 passengers and average wait time of 6 minutes during peak hours and 93 per cent with an average wait time of 2 minutes during off-peak hours.

<https://www.sciencedirect.com/science/article/pii/S1877050917310943>

[Heubeck] Laura Heubeck et al; To Share or Not to Share - Expected Transportation Mode Changes Given Different Types of Fully Automated Vehicles; Department of Human-Cyber-Physical Systems, Chemnitz University of Technology, 09107 Chemnitz, Germany; Mar 13, 2023.

> Table 5: German study shows that 31 per cent of travelers would use ride-shared automated vehicles (RSAVs), 36 private cars, 27 public transportation, and 6 shared cars (excluding currently-popular walking and bicycle transportation).

<https://www.mdpi.com/2071-1050/15/6/5056>

[Houssain2026a] Md Naeem Hossain et al; Progress, Risks and Impacts of the Evolution of Autonomous Vehicles; Journal of Advanced Research in Applied Sciences and Engineering Technology, Issue 2 (2026), pp. 96-118 (as of 7 Jun 2025).

> Technology progress, risks, and benefits of AVs.

https://semarakilmu.com.my/journals/index.php/applied_sciences_eng_tech/article/view/13014/12792

[Hunter2023c] Christian B. Hunter et al; Curb Allocation and Pick-Up Drop-Off Aggregation for a Shared Autonomous Vehicle Fleet; University of Texas; Mar 9, 2023.

> Study of Austin TX: 320,000 employees; SAV fleet sizes of 1000, 2000, 4000; SAVs point-to-point, 1-block, and 2-block pick-up / drop-off locations (PUDOs); and reallocation of curbside parking places to PUDOs.

> Larger fleet sizes led to significantly increased ridership and trips; PUDOs led to small decreases in ridership.

<https://pdfs.semanticscholar.org/a657/1a05512429698625aad12a38b7922ecd1d3a.pdf>

[Hutson2018a] Matthew Hutson, Watch just a few self-driving cars stop traffic jams, Science, AAAS, 16 November 2018.

> Artificial intelligence "reinforcement learning" simulations show that replacing just a few human-driven cars with self-driving cars can increase traffic flow, in some cases doubling the average car speed.

<https://www.science.org/content/article/watch-just-few-self-driving-cars-stop-traffic-jams>

[IntelTransport2021a] Lyft and partner to launch fully driverless public ride-hail service in Las Vegas, Intelligent Transport, 22 November 2021.

> "Lyft and Motional have announced their plans to launch a fully driverless public ride-hail service in Las Vegas, Nevada, in 2023."

<https://www.intelligenttransport.com/transport-news/130822/lyft-fully-driverless-ride-hail-las-vegas>

[IntelTransport2022a] Lyft and partners launch autonomous ride-share service in Miami, Intelligent Transport, 10 January 2022.

> "Lyft, Ford Motor Company and Argo AI have announced the launch of an [autonomous ride-share service](#) in Miami, U.S."

<https://www.intelligenttransport.com/transport-news/131819/lyft-partners-autonomous-rideshare-service-miami>

[Jackson2019a] Kerry Jackson, High-Speed Alternatives to High-Speed Rail, City-Journal, 7 May 2019.

> Alternatives include an "autonomous autobahn" and private high-speed rail projects such as those by Virgin Trains USA in Florida and connecting Las Vegas with Southern California.

<https://www.city-journal.org/california-high-speed-rail-alternatives>

[Jaffe2015a] Eric Jaffe, The Complete Business Case for Converting Street Parking Into Bike Lanes, Bloomberg CityLab, 13 March 2015.

> Converting parking to bike lanes improves financial returns for nearby businesses.

<https://www.bloomberg.com/news/articles/2015-03-13/every-study-ever-conducted-on-the-impact-converting-street-parking-into-bike-lanes-has-on-businesses>

[Jiang2024b] Manyu Jiang; From transit deserts to two million rides: four years of microtransit in Jersey City; Via, 2 Feb 2024.

<https://ridewithvia.com/resources/from-transit-deserts-to-two-million-rides-four-years-of-microtransit-in-jersey-city>

[Johnson2021a] Jeremy Johnson, Is Level 5 Full-Self Driving Ever Going to Happen?, Torque News, 2 June 2021.

> Tesla will be the first and that many others will get there afterward and that by 2024, level 5 autonomy will be reached by Tesla.

<https://www.torquenews.com/14335/level-5-full-self-driving-ever-going-happen>

[JVS2021a] Silicon Valley Index, Joint Venture Silicon Valley, 2021.

> Page 113: Means of Commute, Santa Clara and San Mateo Counties, 2019: Drive alone 75 percent; Carpooled 10, Public Transportation 5.2, Worked at Home 4.9, Walked 1.8. Biked 1.7, Other 1.4.

> Page 113: Mean Travel Time to Work 2015-2019: Silicon Valley 28.4 minutes, San Francisco 33.2.

<https://jointventure.org/publications/silicon-valley-index>

[Kamisher2023c] Eliyahu Kamisher, CA: How many people will ride BART through San Jose?, Mass Transit, Mar 22, 2023.

> BART Santa Clara County extension could have only 32,900 boardings per day.

> Ridership could be even lower, because the estimate was made using pre-pandemic 2019 figures.

> Ridership could be higher due to the Google office and residential development and SJSU riders.

<https://www.masstransitmag.com/rail/infrastructure/news/53029187/ca-how-many-people-will-ride-bart-through-san-jose-the-answer-could-define-south-bay-transit-but-nobody-knows>

[Kane2021a] Mark Kane, Electric Cars from Heaviest to Lightest, Inside EVs, 21 August 2021.

> Table of electric vehicle weights by make and model.

<https://insideevs.com/news/527966/electric-cars-from-heaviest-lightest/>

[Keeney2017a] Tasha Keeney, Mobility-As-A-Service: Why Self-Driving Cars Could Change Everything, ARK Invest, 25 October 2017.

> Vehicle cost: "Autonomous sensors and computer systems ... should drop to \$1,000 – \$2,000 by the time autonomous cars are commercialized."

> Cost per mile: "... cost per mile of Google or a competitor's autonomous taxi to drop by more than half to roughly 35 cents per mile in 2020"

> Fewer personal cars: "ARK believes that autonomous taxis are likely to become a dominant platform for point-to-point mobility in the U.S. and ultimately around the world."

> Safety: "ARK estimates that autonomous vehicles ultimately will reduce accident rates by over 80%, contributing to a transformational public health gain."

> Reduce parking spaces: "Spending eight- to twelve-fold more time on the road than traditional cars, autonomous taxis will likely require only one parking space in reserve per taxi, compared to the five in place today per personal car. ... Municipalities will potentially lose parking fees but could sell off their parking lots to compensate, ultimately turning parking fees into real estate taxes. By our estimates, converting parking spaces would add more than \$350 billion to homeowner, commercial, and municipal real estate returns in the year 2030 alone."

<https://research.ark-invest.com/thank-you-autonomous-vehilce-wp?submissionGuid=e3e598ce-0b93-440b-bde0-8a46335ce751>

[Kharaya2021a] Aaroh Kharaya, Beyond Declining Battery Prices: 6 Ways to Evaluate Energy Storage in 2021, Green Tech Media, 1 February 2021.

> Lithium-ion prices will decrease to as low as \$100 per kWh by 2023.

<https://www.greentechmedia.com/articles/read/beyond-declining-battery-prices-six-ways-to-evaluate-energy-storage-in-2021>

[King2023a] John King, High-speed rail to downtown S.F. is back on track — but the price tag keeps going up, San Francisco Chronicle, Jan 18, 2023.

> The Downtown Extension (DTX) will cost \$6.7B, to complete by 2033.


<https://www.sfchronicle.com/sf/article/high-speed-rail-transit-17724143.php>

[Kolko2011a] Jed Kolka et al, Making the Most of Transit: Density, Employment Growth, and Ridership around New Stations, Public Policy Institute of California, February 2011.

> FIGURE 1: Transit ridership decreases as distance from transit stations increases

[https://www.ppic.org/wp-](https://www.ppic.org/wp-content/uploads/content/pubs/report/R_211JKR.pdf)

[content/uploads/content/pubs/report/R_211JKR.pdf](https://www.ppic.org/wp-content/uploads/content/pubs/report/R_211JKR.pdf)



[Koleva2020a] Mariya Koleva and Marc Melaina, Hydrogen Fueling Stations Cost, DOE Hydrogen Program Record, Record 21002, 2 November 2020.

"Capital equipment cost estimates for 111 new fueling stations selected for award in California varied between approximately \$1,200 and \$3,000 per kilogram hydrogen dispensed per day (kg/day) ...".

<https://www.hydrogen.energy.gov/pdfs/21002-hydrogen-fueling-station-cost.pdf>

[Kosuru2023d] Venkata Satya Rahul Kosuru and Ashwin Kavasseri Venkitaraman, Advancements and challenges in achieving fully autonomous self-driving vehicles. World Journal of Advanced Research and Reviews, Apr 6 2023.

> Discussions challenges, including infrastructure added to roadways to enable Level 5 AVs.

<https://wjarr.com/sites/default/files/WJARR-2023-0568.pdf>

[Kovacevich2022a] Adam Kovacevich, Let's support farming by unleashing the potential of autonomous trucking, Opinion, Bakersfield Californian, 15 January 2022.

> The truck driver shortage will drive the deployment of autonomous trucks.

> Walmart and Kroger have driverless vehicles operating for last-mile grocery delivery.

https://www.bakersfield.com/opinion/community-voices/community-voices-unleash-the-potential-of-autonomous-trucking-to-support-farming/article_981ba382-73e2-11ec-a1b6-8fd606f18d3d.html

[Leich2019a] Gregor Leich and Joschka Bischoff, Should autonomous shared taxis replace buses? A simulation study, Science Direct, 2019.

> "Ride-hailing apps and ridesharing allow for a more flexible service than conventional bus lines, because they can react to the actual demand instead of operating on fixed routes and fixed schedules. Furthermore, they allow for door-to-door service which is more attractive and removes the walk time to access the next bus stop."

> "In order to realize the full potential of ridesharing-like services as part of a public transit system, ridesharing-like services will likely need to use many small vehicles instead of a few large conventional buses, because the more vehicles there are, the more frequent the service they offer can be."

<https://www.sciencedirect.com/science/article/pii/S2352146519304934>

[Lee2022] Jooyong Lee, Kara M. Kockelman; Shared Autonomous Vehicles for Efficient First-Mile Connection to Evacuate Vulnerable Populations; University Texas; 2022 or 2023.

> A fleet size of 1 SAV per 14 affected people with 5-seat vehicles is the most effective in transporting people to larger buses in an emergency situation.

https://www.cae.utexas.edu/prof/kockelman/public_html/TPTEvacSharedAVandbusstations.pdf

[Levin2023c] Tim Levin, Bill Gates says self-driving cars will be as revolutionary as the PC after riding in one, Insider, Mar 31, 2023.

> Levin: "Gates believes personal vehicles will get self-driving capabilities only after the tech comes to long-haul trucking, deliveries, taxis, and rental cars."

<https://www.businessinsider.com/bill-gates-ai-self-driving-cars-as-revolutionary-as-pc-2023-3/>

[Litman2021a] Todd Litman, Autonomous Vehicle Implementation: Predictions Implications for Transport Planning, Victoria Transport Policy Institute, 1 September 2021.

> "This analysis indicates that Level 5 autonomous vehicles, able to operate without a driver, may be commercially available and legal to use in some jurisdictions by the late 2020s, but will initially have high costs and limited performance."

> "Shared autonomous vehicles (self-driving taxis) and rides (micro-transit services) are being tested in some jurisdictions but it will probably be the 2030s before they are widely available."

<https://www.vtppi.org/avip.pdf>

[Litman2021b] Todd Litman, The New Mobilities: Smart Planning for Emerging Transportation Technologies, Victoria Transport Policy Institute, 24 June 2021.

> AV adoption and operation will benefit from dedicated highway lanes.

https://vtppi.org/Smart%20Growth%20Network_New%20Mobilities_24June2021.pdf

[Madigan2016a] Ruth Madigan et al, Acceptance of Automated Road Transport Systems (ARTS): an adaptation of the UTAUT model, Science Direct, 2016.

> Photo of an ARTS vehicle in La Rochelle, France.

<https://www.sciencedirect.com/science/article/pii/S2352146516302435>

[Manders2020e] Tanja Manders et al, The ultimate smart mobility combination for sustainable transport? A case study on shared electric automated mobility initiatives in the Netherlands, Transportation Research Interdisciplinary Perspectives, May 2020.

> "... studies show that one automated shared vehicle can replace around 3–10 traditional privately owned cars. For the total vehicle fleet, depending on the level of automation shared vehicles could potentially replace up to 50% to even 90% of conventional vehicles. ... Estimates furthermore show that a decrease in privately owned vehicles can reduce the required space for parking for 90% or more."

<https://www.sciencedirect.com/science/article/pii/S2590198220300403?via%3Dihub>

[Marist2025j] Majority of Americans Not Likely to Ride in Self-Driving Taxi; 14 Oct 2025.

<https://maristpoll.marist.edu/polls/self-driving-taxis-october-2025/>

[Martin2011a] Elliot Martin and Susan Shaheen, The Impact of Carsharing on Household Vehicle Ownership, Access Magazine, Spring 2011.

> Survey of 6,281 households.

> 62 percent of households owned no car before carsharing; 31 percent owned 1 car.

> A survey of carsharing households: 0.47 cars per household before carsharing, 0.23 cars per household after carsharing, a 48% reduction in cars per household.

> 80 percent of the sample owned no car after carsharing; a smaller percentage reduced from 2 to 1 cars.

> Estimates that 4 to 6 cars were shed for every carsharing vehicle available.

https://www.accessmagazine.org/wp-content/uploads/sites/7/2016/01/access38_carsharing_ownership.pdf

[Martinez-Diaz2021a] Margarita Martínez-Díaz, Platooning of connected automated vehicles on freeways: a bird's eye view, ScienceDirect, July 2021.

> "Future mobility based on CAVs aims at reducing undesirable traffic externalities, i.e. congestion, accidents and environmental damage. The analysis performed in this paper confirms that platooning has great potential in this regard."

<https://pdf.sciencedirectassets.com/308315/1-s2.0-S2352146521X00087/1-s2.0-S2352146521008231/main.pdf>

[McBride2021a] Stephen McBride, Why 2021 Will Be The Year Self-Driving Cars Go Mainstream, Forbes, 6 January 2021.

> "Amazon-owned Zoox unveiled its autonomous robotaxi on December 14. It's a fully driverless vehicle built for ride hailing. Passengers face each other. It can't be driven by a human—because there's no steering wheel. It can go up to 75 mph and can run up to 16 hours on a single charge." (With photo.)

<https://www.forbes.com/sites/stephenmcbride1/2021/01/06/why-2021-will-be-the-year-self-driving-cars-go-mainstream/>

[McKinsey2021a] Autonomous Driving, McKinsey & Company, 2021.

> While a phased evolution of robo-taxi technology and autonomous commercial driving will bring near-term disruption, widespread adoption is not expected until 2030.

<https://www.mckinsey.com/features/mckinsey-center-for-future-mobility/overview/autonomous-driving>

[Mellor2019a] Luke Mellor, Some Uber Statistics, Pantonium, 27 June 2019.

> Uber deadheading adds 69 percent to occupied passenger miles.

<https://pantonium.com/some-uber-statistics/>

[Memon2022g] Ruqaiyah Memon et al, Autonomous Driving Systems: An Overview of Challenges in Safety, Reliability and Privacy, 15th International Conference on Human System Interaction (HSI), IEEE, Jul 2022.
<https://ieeexplore.ieee.org/document/9869489/figures#figures>

[Modicamore2022i] Dominic Modicamore et al; National Disability Institute; 30 Dec 2022; Table 5 and other findings.
<https://www.nationaldisabilityinstitute.org/wp-content/uploads/2023/02/ndi-economicimpactsofremovingtransportationbarriers.pdf>

[Momentum2025c] Momentum Electrical Constructors, Understanding the Cost of Level 3 Charging Stations: A Caring Overview; 16 Mar 2025.
> One of a few references that settle on \$80,000 to be an expected cost for a single EV charger port.
<https://momentum-electric.com/understanding-the-cost-of-level-3-charging-stations-a-caring-overview/>

[Moritz2025d] John Moritz; New Haven joins growing list of CT towns offering Microtransit; ctmirror, 3 Apr 2025.
> Subsidized ride-hailing system with human drivers in 17 Connecticut cities.
<https://ctmirror.org/2025/04/03/new-haven-ct-microtransit/>

[Mouratidis2021a] Kostas Mouratidis and Victoria Cobeña Serrano, Autonomous buses: Intentions to use, passenger experiences, and suggestions for improvement, Science Direct, 2021.
> Study located in Oslo, Norway. After experiencing an autonomous bus ride:
> Section 4.2.1: 76 percent of participants indicated that they will use an autonomous bus in the future.
> Section 4.2.3: 88 percent of participants indicated they felt safe during the ride.
<https://www.sciencedirect.com/science/article/pii/S1369847820305921>

[MTC2018f] MTC, ABAG, ARUP; Autonomous Vehicles Perspective Paper, Horizon, Jun 2018.
A comprehensive approach to expectations and planning for an AV-enabled future.
> Summary of survey of experts in 2017 (page v);
Timing: 3 to 13 years until L5 AVs available for use (Author: i.e, 2020 to 2030)
Safety: +40% to +90% increase in safety
Capacity: 0% to +45% increase in roadway capacity
> Some desired outcomes / expectations:
Parking repurposed to affordable housing. Parking demand could reduce by as much as 90%. (Sec. 2.2.1.)
"Shared AV services could introduce a transit renaissance with improved on-demand services."
"Private mobility service operators should be required to monitor and improve their services to achieve equitable outcomes. Desired outcome: Universal access to AV services."
https://mtc.ca.gov/sites/default/files/2018-06-25_Autonomous_Vehicles_Perspective_Paper.pdf

[MTC2021j] Plan Bay Area 2050 - 4 Transportation, page 60, Metropolitan Transit Commission, Oct 2021.
> "AVs could fundamentally change the way transportation networks are designed and operated. AV adoption could shape the future of public transit, climate emissions, labor markets and access to opportunity."
https://www.planbayarea.org/sites/default/files/documents/Plan_Bay_Area_2050_Transportation_October_2021.pdf

[MTC2023b] Innovative Deployments to Enhance Arterials Shared Automated Vehicles (IDEA SAV); Metropolitan Transit Commission; Feb 8, 2023.

> MTC is sponsoring a "technical assistance grant program to fund SAV technology pilot/deployment projects."
<https://mtc.ca.gov/operations/programs-projects/intelligent-transportation-systems/connected-automated-vehicles/idea-sav>

[Mueller2021a] Joann Mueller, In Las Vegas, "driverless" cars arrive via remote control, Axios, 9 July 2021.

> "Electric AVs promise to make urban transportation safer, more affordable and more accessible, potentially easing congestion and cutting carbon emissions."

> Current activities:

1) Phoenix - Waymo driverless minivans in certain neighborhoods.

2) By 2022, Cruise, Argo AI, and others could have limited robotaxis in San Francisco and Miami.

3) Las Vegas: Halo remote-control-driven Kia Niro SUVs at pickup locations, a rider drives to their destination, and drops off the car.

<https://www.axios.com/driverless-remote-control-taxis-las-vegas-halo-0a9ded48-b682-4bee-9d09-13262cc84734.html>

[Muller2022a] Joann Muller, A roadway will charge your EV while you're driving, Axios, 6 February 2022

> Most of the grown to \$827 million worldwide by 2027 "will be for "static" wireless charging systems in places like parking garages, taxi stands, and bus or truck depots."

<https://www.axios.com/a-roadway-will-charge-your-ev-while-youre-driving-f2f2ad5b-3735-4948-bc50-b486f076a255.html>

[MWCOG2016a] How proximity to transportation options affects how you get around—and where you choose to live or work, Metropolitan Council of Governments, 11 October 2016.

> "... there is a discernable point at which transit use seems to drop off most. For rail stations, that happens when distance from a station exceeds one mile. For bus, the biggest drop comes at around the half-mile point."

<https://www.mwcog.org/newsroom/2016/10/11/how-proximity-to-transportation-options-affects-how-you-get-around-and-where-you-choose-to-live-or-work/>

[Najman2024k] Liz Najman; By 2030, Replacing an EV Battery Will Cost Less Than Fixing a Gas Engine; Recurrent, 19 Nov 2024.

<https://www.recurrentauto.com/research/replacing-an-ev-battery-less-than-fixing-a-gas-engine>

[Nastjuk2020a] Ilja Nastsjuk et al, What drives the acceptance of autonomous driving? An investigation of acceptance factors from an end-user's perspective, 2020.

> Key factors in acceptance include:

- Trust, based on "... system transparency, which refers to the degree of comprehensibility and predictability of the operations of autonomous vehicles ...".

- "... personal innovativeness positively affects perceived ease of use and perceived usefulness."

- "... innovators are also more likely to accept autonomous driving ..."

- "... the relative advantages as positively associated with both perceived usefulness and attitude toward using autonomous driving."

- "... perceived enjoyment increases the intrinsic motivation to use autonomous driving ..."

- "... cost reductions will improve the perceived cost-benefit ratio ..."

<https://www.sciencedirect.com/science/article/pii/S0040162520311458>

[Newman2021a] Rick Newman, When self-driving cars are coming, for real, yahoo!news, 21 July 2021.
> By 2025 for Level 4 autonomy.

<https://news.yahoo.com/when-self-driving-cars-are-coming-for-real-164631730.html>

[Othman2021a] Kareem Othman, Public acceptance and perception of autonomous vehicles: a comprehensive review, Springer Link, 26 February 2021.

> Extensive discussion of software approaches to enhance safety and many other factors.

> A US survey by Casley et al of 467 respondents regarding AVs:

- 82 percent ranked safety of the most important factor.

- 65.2 percent would feel comfortable using AVs within 3-4 years after introduction.

> A US survey by The Motional Consumer Mobility of 1003 consumers regarding AVs:

- 86 percent will travel in AV.

- 66 percent will consider using AVs regularly.

- 82 percent believe that AVs are the way to the future.

> AVs in general and shared AVs especially reduce costs.

- Autonomous taxis operating costs could reduce by 30 to 50 cents per mile and/or 60 to 75 percent.

- Figure 7: Shared AVs have lowest per-mile cost at \$0.37 per mile.

- Ann Arbor shared AV simulation with customer waiting time of 2 minutes or less showed a 9 percent cost reduction due to lower ownership cost, operating expenses, parking fees, and the value of time gained.

- Manhattan, New York shared AV simulation showed an 88 percent cost reduction from \$7.80 to \$0.80 per trip due to reduced ownership cost, operating expenses, and central coordination.

<https://link.springer.com/article/10.1007/s43681-021-00041-8>

[Othman2022a] Kareem Othman, Exploring the implications of autonomous vehicles: a comprehensive Review, Springer Nature Switzerland, 5 February 2022.

> AVs can: reduce vehicle ownership; provide excellent service; enable passengers to engage in productive activities; reduce parking demand by 80 per cent to 90 percent; increase coverage and accessibility for aged and disabled persons, and rural residents; be used as delivery vehicles, during pandemics and generally; reduce traffic accidents, injuries, deaths, and health care costs.

> "... shared AVs have the potential to significantly reduce the average waiting time and trip costs when compared with the current transit service, which means that shared AVs will be a strong competitor to the transit service and might attract public transit users. Thus, transit agencies should be aware of this new coming disruption to the transportation system or else they will incur significant losses; in particular, AVs will be available sooner or later."

<https://link.springer.com/content/pdf/10.1007/s41062-022-00763-6.pdf>

[Othman2022b] Kareem Othman, Multidimension Analysis of Autonomous Vehicles: The Future of Mobility, Civil Engineering Journal, 12 March 2022.

> AVs and SAVs (shared autonomous vehicles) will enable: smaller fleet size; low trip costs and short waiting times; productive activities during travel; reduce parking demand by 80 to 90 percent, freeing up parking space for other uses; increased travel accessibility for the aged and disabled; and improved traffic safety.

<https://pdfs.semanticscholar.org/a574/0e297e109e07680a4a8ce01b50895b848575.pdf>

[PADailyPost2023a] Door-to-door transit coming to EPA, Palo Alto Daily Post, January 7, 2023.

> SamTrans microtransit on-demand pilot program in two cities, utilizing traditional human-driven vans rather than fixed-route, fixed-schedule buses. To start June 2023. Follows a similar program in Pacific in 2019.

<https://padailypost.com/>

[Padmaja2023e] B. Padmaja et al, Exploration of issues, challenges and latest developments in autonomous cars, Journal of Big Data, 6 May 2023.

<https://journalofbigdata.springeropen.com/articles/10.1186/s40537-023-00701-y>

[PaloAlto2024i] Palo Alto Link, City of Palo Alto.

> Since 2023, Palo Alto has provided a city-operated rideshare service. In late 2024, the fares were \$2 for disabled, low income, and seniors, and \$4 for anyone else.

<https://www.cityofpaloalto.org/Departments/Transportation/Palo-Alto-Link>

[Park2021] Ji Eun Park et al, The Impact of Automated Vehicles on Traffic Flow and Road Capacity on Urban Road Networks, Wiley, Semantic Scholar, 3 November 2021.

> "AVs improved traffic flows by decreasing travel time and delay and increasing vehicle speed."

> "This study indicated that even a low penetration rate of AVs can improve traffic flow on urban roads."

<https://pdfs.semanticscholar.org/7ec7/cbe91b79a46595f6df329a69a052725be1e1.pdf>

[PenCleanEnergy2021] Commercial, Industrial, and Agricultural Customer Rates, Peninsula Clean Energy, April 1, 2021. Rates comparable to [ElectricityLocal2021a].

<https://www.peninsulacleanenergy.com/wp-content/uploads/2021/04/Commerical-PCE-Rates-Effective-04-01-21.pdf#TRPLINKPROCESSED>

[Pendyala2022f] Ram M. Pendyala et al; How Will Use of Autonomous Vehicles for Running Errands Affect Future Autonomous Vehicle Adoption and Ownership?; School of Sustainable Engineering and the Built Environment, Arizona State University; June 2022.

> Some people will choose to use AVs in zero-occupancy mode to run errands; those people will be more prone to own AVs rather than use shared AVs. This would lead to more AVs on the road, increasing traffic congestion; policies should be put in place to discourage such use.

<https://tomnet-utc.engineering.asu.edu/wp-content/uploads/sites/5/2023/03/TOMNET-Year-4-Project-Report-Pendyala-Running-Errands-with-AVs.pdf>

[Perrine2018a] Kenneth A. Perrine, Anticipating Long-Distance Travel Shifts due to Self-Driving Vehicles, University of Texas, January 2018.

> *[This author's note: The results below might have implications for California High-Speed Rail as well.]*

> "... the availability of AVs severely digs into the airline travel market, reducing airline revenues to 53%."

> One study "... forecasted that over 25 percent of airline trips under 500 miles will shift to AVs."

> One study "... noted that if AVs allow disabled individuals to make the same length and number of car trips, their vehicle-miles traveled (VMT) would probably increase by more than 50 percent."

> "AVs reduce the burden of travel for drivers and may improve the quality of travel for passengers ..."

> Table 1: After AV market penetration of 51%, airline trips less car+AV trips increase by 105 to 112 percent, and airline trips reduce decrease by 53 percent.

https://www.cae.utexas.edu/prof/kockelman/public_html/TRB18AVLong-DistanceTravel.pdf

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

54

[Pierlott2018a] Triennial Performance Audit of the San Mateo County Transit District (SamTrans) - Fiscal Years 2014/15, 2015/16 and 2016/17 - FINAL AUDIT REPORT, Pierlott & Associates, May 2018.

> Section VI: Functional Performance Indicator Trends, 2017:

- Operating costs per passenger mile: \$2.29.
- Farebox recovery ratio: 12.8 per cent.
- Vehicle maintenance costs per service mile: \$2.74.
- Vehicle spare ratio: 17 percent.
- Administrative costs: 32 percent of total operating costs.

- Maintenance costs: 19 percent of total operating costs.

Functional Performance Inputs - Systemwide (All Modes)

Data Item	FY2015	FY2016	FY2017	Source
Total Operating Costs	\$121,179,721	\$129,537,320	\$133,146,565	NTD F-40
Administrative Costs	\$35,295,159	\$39,107,637	\$43,015,960	NTD F-40
Vehicle Service Hours	702,074	731,625	844,038	NTD S-10 (all modes)
Marketing Costs	\$2,891,500	\$3,174,000	\$4,101,073	SamTrans Budget
Unlinked Passenger Trips	13,796,204	13,530,765	12,550,962	NTD S-10 (all modes)
Farebox Revenue (All Modes)	\$18,816,424	\$18,078,032	\$17,040,333	NTD F-10

https://mtc.ca.gov/sites/default/files/SamTrans_FY2018_TDA_Final_Audit_Report.pdf

[Pinto2020a] Miguel Pinto, Self-driving cars: How close are we from full autonomy?, Towards Data Science, 7 July 2020.

> By 2026, Tesla will have Level 5 AV robotaxis.

<https://towardsdatascience.com/self-driving-cars-how-close-are-we-from-full-autonomy-ccf31cea771>

[Pisarov2021a] Jelena Pisarov, Smart Cars and a Solution for Overpopulation, Interdisciplinary Description of Complex Systems, 11 November 2021.

> Connected AVs, and SAVs (shared autonomous vehicles) will result in: 28 percent fewer vehicles, 44 percent fewer parking spaces, 30 percent less travel time, 66 percent less emissions, and 87 percent fewer accidents.

> " With smartphone applications for autonomous car-sharing, millions of people could avoid being packed like sardines in trains and buses every morning, only to get stuck in hour-long traffic jams."

<https://pdfs.semanticscholar.org/ef2d/c07937cb9ce73957180e7ae5287bd6bf40fc.pdf>

[Pocard2021a] Nicolas Pocard, 4 Ways to Improve Public Transport (With Input From the Public), Ballard, 10 June 2021.

> Fuel cell electric buses attributes:

Up to 300 mile/450 kilometer range between refueling

10 minute refueling time at a centralized depot

Proven durability: fuel cell lifetime of 30,000+ hours

<https://blog.ballard.com/4-ways-to-improve-public-transport>

[Polidori2018d] Carlo Polidori et al, Current and potential negative effects of autonomous vehicles, Transport Research Arena 2018, April 16-18, 2018.

> Presents issues (as of 2018) with autonomous vehicle levels 2, 3, and 4.

<https://www.semanticscholar.org/paper/Current-and-potential-negative-effects-of-vehicles-Polidori-Mascio/f96b087ed0bce61044668865d07d8fed4d191799>

[Potgeiter2021a] Cobus F. Potgeiter, How Close Are We To A Truly Self-Driving Car?, CarBuzz, (2021).

> "Considering the changes needed and the required adjustments to road legislation, experts theorize that we should not expect to see autonomous vehicles until at least 2030."

<https://carbuzz.com/car-advice/how-close-are-we-to-a-truly-self-driving-car>

[Priddle2020a] Alisa Priddle, Cruise Origin: 8 Things to Know About GM's Driverless Pod Car, MotorTrend, 28 January 2020.

> Six passengers, low floor.

> Cruise Origin will have a lifespan of about one million miles, per CEO Dan Ammann.

<https://www.motortrend.com/features/cruise-origin-gm-autonomous-car-pod-things-to-know/>

[Rajashekara2024c] Kaushik Rajashekara; Data and Energy Impacts of Intelligent Transportation—A Review; MDPI; 22 March 2024.

<https://www.mdpi.com/2032-6653/15/6/262>

[Rajiv2017a] Rohan Rajiv, Horses, cars, and the disruptive decade, medium.com, 21 October 2017.

> On New York City's 5th Avenue: 1900 - one car; 1913 - one horse.

<https://medium.com/@alearningaday/horses-cars-and-the-disruptive-decade-358b3fd6fdb9>

[Ramey2021a] Jay Ramey, The Mini Urbanaut Is Now a Real Concept Car, Autoweek, 30 June 2021.

> The Mini Urbanaut concept EV is one example of, "a small MPV that showcases a lounge-like interior."

<https://www.autoweek.com/news/green-cars/a36890567/mini-urbanaut-is-a-real-concept-car/>

[Ramirez2020a] Vanessa Bates Ramirez, New Record-Crushing Battery Lasts 1.2 Million Miles in Electric Cars, SingularityHub, 11 June 2020.

> Chinese electric car battery manufacturer Contemporary Amperex Technology Co. Ltd. (CATL) "says it has new battery technology that lasts up to 1.2 million miles (2 million kilometers) and 16 years."

<https://singularityhub.com/2020/06/11/road-trip-new-record-crushing-battery-lasts-1-2-million-miles-in-electric-cars/>

[Reudig2021a] Allison Ruedig, Your Guide To Commercial Electric Vehicle Charging Stations: Installation, Costs And More, greenlancer.com, 7 May 2021.

> Cost for purchase and installation of a single Level II EV charging station is \$6,000.

<https://www.greenlancer.com/post/guide-commercial-electric-vehicle-charging-stations>

[Saha2023d] Niloy Saha and Diomo Motuba, Estimating the Impacts of AV and CAV and Technologies Transportation Systems for Medium, Long, and Buildout Transportation Planning Horizons, Future Transportation, Apr 6 2023.

<https://www.mdpi.com/2673-7590/3/2/27>

[SamTrans2021a] Bus Fleet, SamTrans.

SamTrans operates a fleet of 312 buses.

https://www.samtrans.com/about/Bus_Operations_Information/Bus_Fleet.html

[SamTrans2021b] FY2022 Adopted Operating Budget - Attachment A, SamTrans, 2021.

https://www.samtrans.com/Assets/_Finance/BUDGETS/ST/Fiscal+Year+2022+Operating+Budget.pdf

[Sadaf2023i] Memoona Sadaf et al; Connected and Automated Vehicles: Infrastructure, Applications, Security, Critical Challenges, and Future Aspects; MDPI; Sep 4, 2023.

> ..." comprehensive survey encompassing various aspects of AVs, such as public adoption, driverless city planning, traffic management, environmental impact, public health, social implications ..."

> Comprehensive qualitative survey; no quantitative analysis.

<https://www.mdpi.com/2227-7080/11/5/117>

[Sauliala2020a] Tuomas Sauliala, Autonomous Vehicles and the Problem with Speed, Sensible4, 29 September 2020.

> High-speed AVs should be possible on expressways with fences on both sides, some type of fixed sensors communicating with vehicles, and vehicle-to-vehicle communications.

<https://sensible4.fi/2020/09/29/autonomous-vehicles-and-the-problem-with-speed/>

[Shahan2020a] Cynthia Shahan, Electric Bus Fleet In Washington Has Completed 50 MWh Of Wireless Charging, CleanTechnica, 23 May 2020.

> Wenatchee, Washington has a fleet of electric busses that use wireless charging.

<https://cleantechnica.com/2020/05/23/electric-bus-fleet-in-washington-has-completed-50-mwh-of-wireless-charging/>

[Shaheen2016a] Susan A. Shaheen, Nelson D. Cha, and Teresa Gaynor, Casual Carpooling in The San Francisco Bay Area: Understanding User Characteristics, Behaviors, and Motivations; University of California, Berkeley; 2016.

> Success factors from previous studies: "Studies have identified the following casual carpooling success factors: 1) a time savings incentive for drivers; 2) monetary savings for passengers; 3) pickup locations near freeways, residences, parking, or public transit stops; 4) a common dropoff location; 5) reliable public transit for the return trip; and 6) an HOV requirement of three or more occupants."

> Success factors from this study: 1) monetary savings; 2) convenience; 3) time saving (shorter wait times and shorter travel times); 4) flexibility; 5) comfort.

https://www.researchgate.net/publication/292208482_Casual_Carpooling_in_The_San_Francisco_Bay_Area_Understanding_User_Characteristics_Behaviors_and_Motivations

[Shaheen2018a] Susan A. Shaheen and Adam Cohen, Shared ride services in North America: definitions, impacts, and the future of pooling, UC Berkeley, 11 July 2018.

> An OECD/ITF 2016 study estimated that replacing all car and bus trips in Lisbon with SAV taxis and shuttle buses would reduce public parking space required by 95 percent.

> The OECD/ITF 2016 study "also predicts total vehicle kilometres travelled would be 37% lower than the present day, although each vehicle would travel ten times the total distance of current vehicles."

<https://escholarship.org/uc/item/2wr9q8c2>

[Shaheen2018b] Susan Shaheen, Shared Mobility: The Potential of Ridehailing and Pooling, Three Revolutions by Daniel Sperling, Chapter 3, Island Press, 2018.

> Page 60: " These services bring together previously unacquainted riders with similar origins and destinations. Computer algorithms assign additional riders to drivers in real time. The computer optimizes route changes as new pickups are requested, aiming to minimize the detours experienced by each rider."

> Page 63: "This study modeled ... mobility provided by fleets of shared automated taxis and shuttle busses. ... 97 percent fewer vehicles (cars, shuttle busses, and full-size busses) would be needed to serve all trips, 95 percent less space would be required for public parking ... much lower cost per passenger (since depreciation and operating costs are spread out over many more occupants) ..."

> Page 63: "... three thousand four-passenger cars could serve 98 percent of taxi demand in New York City, with an average wait time of 2.7 minutes. The researchers also found that 95 percent of taxi demand would be met by just two thousand ten-person vehicles, compared with the nearly fourteen thousand taxis that currently operate in New York City. They used an algorithm that reroutes cars in real time to serve incoming requests."

[Shaheen2020a] Susan Shaheen, Mobility on Demand Planning and Implementation: Current Practices, Innovations, and Emerging Mobility Futures, ICF, March 2020.

> Table 6: Summary of Carsharing Impacts, various studies.

Vehicles removed from the road per carsharing vehicle (vehicles): 5 to 20.

Members selling personal vehicles (percent): 15 to 33 (outliers 0.14, 2.5)

Members avoiding vehicle purchase (percent): 25 to 71 (outliers 0.19, 0.44, 2 to 5)

> Impacts of microtransit from RideKC: Reasons to use (percent):

Cheaper: 56 percent, comfort: 39 percent, flexibility: 33 percent.

Acceptable fare: \$2: 100 percent, \$3: 23 percent).

Service area: 67 percent of respondents would use / use more with a larger service area.

> Reduced commute stress.

<https://rosap.ntl.bts.gov/view/dot/50553>

[Shetty2020a] Sameepa Shetty, Uber's self-driving cars are a key to its path to profitability, CNBC, 28 January 2020.

> 'The driver represents the single largest expense in non-autonomous ride-sharing at 80% of the total per mile cost, according to estimates by research firm Frost & Sullivan. By removing the driver from the equation, fully autonomous vehicles dramatically lower the cost of a ride while boosting its addressable market. ... Uber plans .. the cost of rides so low (between its fleet of human and robot cars) that vehicle ownership becomes obsolete."

<https://www.cnbc.com/2020/01/28/ubers-self-driving-cars-are-a-key-to-its-path-to-profitability.html>

[Sheyner2023b] Gennady Sheyner, City's new shuttle service is a departure from the past, Palo Alto Weekly, Feb 6, 2023.

<https://www.paloaltoonline.com/news/2023/02/06/new-shuttle-service-set-to-roll-out>

[Singh2015a] Snatokh Singh, Critical Reasons for Crashes Investigated in the National Motor Vehicle Crash Causation Survey, Bowhead Systems Management, Inc., for NHTSA, Department of Transportation, February 2015.

> Critical reasons for the critical pre-crash event: Drivers 94 percent, vehicles 2 percent, environment 2 percent, unknown 2 percent. (Data source NMVCCS 2005-2007.)

<https://crashstats.nhtsa.dot.gov/Api/Public/ViewPublication/812115>

[Singh2023e] Mohit Kumar Singh et al, Examining Parking Choices of Connected and Autonomous Vehicles, Transportation Research Record, National Academy of Sciences: Transportation Research Board 2023, 3 May 2023.

<https://www.semanticscholar.org/paper/Examining-Parking-Choices-of-Connected-and-Vehicles-Singh-Haouari/489e94f5444515833600df443ddd03cf10e812b7/>

[SJCleanEnergy2021a] San José Clean Energy Commercial GreenSource Time-of-Use Rates, San Jose Clean Energy, 2021. Rates comparable to [ElectricityLocal2021a].

<https://sanjosecleanenergy.org/wp-content/uploads/2021/07/SJCE-Commercial-Rates-PDF-May-2021-FINAL.pdf>

[Smith2013a] Bryant Walker Smith, Human error as a cause of vehicle crashes, The Center for Internet and Society, Stanford University, 18 December 2013.

"Some ninety percent of motor vehicle crashes are caused at least in part by human error."

<http://cyberlaw.stanford.edu/blog/2013/12/human-error-cause-vehicle-crashes>

[Sperling2018a] Daniel Sperling, Pooling is the Answer, Three Revolutions by Daniel Sperling, Chapter 3, Island Press, 2018; Epilogue, page 189+.

> Pooling is the answer to: ameliorate traffic congestion; reduce climate change; social equity; reduce soaring transportation infrastructure costs.

> Automated pooled electric vehicles reduce the cost per mile from \$0.57 to \$0.20 or less, "even assuming the automated vehicle costs \$10,000 more than a conventional gasoline-powered car." If the automated EV has two riders, the cost per passenger is cut in half to \$0.10 per mile."

[Stone2020a] Zara Stone, Inside a Secretive \$250 Million Private Transit System Just for Techies; OneZero, 24 February 2020.

> As of 2020, the Metropolitan Transportation Commission estimated there are 1,020 private commuter shuttle buses in the Bay Area, at an annual cost of \$250 million.

<https://onezero.medium.com/only-the-elite-have-nice-commutes-in-silicon-valley-8b2761863925>

[Stone2021a] Madeleine Stone, Will charging electric cars ever be as fast as pumping gas?, National Geographic, 9 June 2021.

> Fast charging stations can fill an EV battery to 80 percent full in about 30 minutes. Tesla fast-charging stations can add 200 miles of range in 15 minutes.

<https://www.nationalgeographic.com/environment/article/will-charging-electric-cars-ever-be-as-fast-as-pumping-gas>

[Sullivan2015f] Mark Sullivan; Waymo is winning in San Francisco; Fact Company, 06 Jun 2025.

> Waymo has captured 27 percent of ridesharing in San Francisco, even though a ride can cost up to 1/3 more than Uber.

> Overall, Waymo researchers studied more than 56.7 million miles of driving and report that by removing the human driver Waymo achieves reductions in crashes: 92% involving injuries among pedestrians, 82% with cyclists, and 82% involving motorcyclists.

<https://www.fastcompany.com/91347503/waymo-is-winning-in-san-francisco>

[Sun2023h] Ran Sun et al; Impacts of Connected and Automated Vehicles on Travel Demand and Emissions in California; National Academy of Sciences - Transportation Research Board; Aug 22, 2023.

> Compared with the Caltrans 2050 baseline model, shared connected autonomous zero emission vehicles reduce total vehicle miles traveled and emissions.

<https://journals.sagepub.com/doi/10.1177/03611981231186984>

[Templeton2024h] Waymo's 6th-Generation Robotaxi Is Cheaper. How Cheap Can They Go?; 20 Aug 2024.

<https://www.forbes.com/sites/bradtempleton/2024/08/20/waymos-6th-generation-robotaxi-is-cheaper--how-cheap-can-they-go>

[Thompson2022a] Derek Thompson, The Five-Day Workweek Is Dying, The Atlantic, 23 February 2022.

> Hybrid work-from-home and less than 5-day workweeks are becoming the norm.

<https://www.theatlantic.com/ideas/archive/2022/02/work-from-home-revolution/622880/>

[Tiller2009a] Clem Tiller, Freight on the Peninsula, Caltrain HSR Compatibility Blog, 08 March 2009, updated 18 March 2009.

"The Department of Defense designates a nationwide network of rail links critical to national defense, known as the Strategic Railroad Corridor Network, or **STRACNET**." This includes the Caltrain Corridor.

<https://caltrain-hsr.blogspot.com/2009/03/freight-on-peninsula.html>

[Torchinsky2020a] Jason Torchinsky, The Cruise Origin Is An Expected Step In Autonomous Vehicles But There Are Many Unanswered Questions, Jalopnik, 22 January 2020.

> The Cruise Origin will operate a "highway speeds".

<https://jalopnik.com/the-cruise-origin-is-an-expected-step-in-autonomous-veh-1841163154>

[Ulrich2021a] Lawrence Ulrich, Behind the Wheel, Under the Hood of World's First 500-Mile EV, IEEE, 29 October 2021.

> Lucid Air sedan gets 4.6 miles per kWh, and recharges up to 300 miles in 20 minutes.

<https://spectrum.ieee.org/lucid-air-500-miles-ev>

[Torres2023b] Peter S. Torres, Babu George; Disruptive transformation in the transport industry: Autonomous vehicles and transportation-as-a-service; International Journal of Emerging Trends in Social Sciences; Feb 16, 2023.

> Impacts of TAAS on industries, public transit, and economic disparities.

<http://scipg.com/index.php/103/article/view/614/592>

[Tran2025e] Bao Tran; Robotaxis in 2025-2030: Global Expansion and Adoption Trends; 24 May 2025.

> 30 comments and predictions of the robotaxi market by 2030.

<https://patentpc.com/blog/robotaxis-in-2025-2030-global-expansion-and-adoption-trends-latest-numbers>

[Tyagi2016j] Amit Kumar Tyagi and Sreenath Niladhuri; Vehicular Ad Hoc Networks: New Challenges in Carpooling and, Parking Services; IJCSIS; Oct 2016.

> Dynamic carpooling services will enable drivers and passengers to easily share a car This will reduce cost, fuel consumption, pollution, and traffic congestion. Vehicle sharing will not only be convenient but necessary.

https://www.academia.edu/29203812/Vehicular_Ad_Hoc_Networks_New_Challenges_in_Carpooling_and_Parking_Services

[VanderWerp2021a] Dave VanderWerp, How EVs Compare to Gas-Powered Vehicles in Seven Performance Metrics, Car and Drivers, 15 May 2021.

> Test results for acceleration, braking, and vehicle weights.

<https://www.caranddriver.com/features/g36420161/evs-compared-gas-powered-vehicles-performance/>

[VanHire2021a] Falkirk Van Hire, Top 5 Large Electric Vans With The Longest Range, FVH&R, 9 January 2021.

> Fiat E-Ducato Electric Van: 79 kWh / 223 mile range = 0.354 kWh / mile.

> Ford E-Transit Electric Van: 67 kWh / 217 miles = 0.309 kWh / mile.

<https://www.falkirkvanhire.com/articles/top-5-large-electric-vans-with-the-longest-range/>

[Via2020a] Microtransit myth: On-demand public transit is too expensive, Via, 14 October 2020.

> Includes examples of on-demand public transit success stories.

> "... When on-demand networks are implemented ..., communities can actually save money compared to their previous fixed route services, unlocking broader benefits that pay back the initial investment many times over."

> "... we see that on-demand systems initially dismissed as 'unprofitable' can create much more efficient public services in general. Public transit is critical to preventing unemployment, providing access to preventative healthcare, and avoiding the social isolation that can lead to expensive care needs over time."

https://ridewithvia.com/resources/articles/microtransit-myth-on-demand-public-transit-is-too-expensive/?utm_source=home_page

[Via2020b] Microtransit myth: App-based transit means people without smartphones miss out, Via, 14 October 2020.

> On-demand systems can have a variety of booking options to maximize accessibility for any type of rider:

- An intuitive, easy-to-use smartphone app for all passengers (or their caretakers) that includes built-in accessibility features like voiceover technology, adaptive font size, and enhanced contrast.

- A web portal for those who have internet access through a desktop computer.

- Telephone, SMS, or email booking.

- Optional ride booking kiosks at major transit hubs.

<https://ridewithvia.com/resources/articles/microtransit-myth-app-based-transit-means-people-without-smartphones-miss-out/>

[Via2020c] What is microtransit?; Via; 13 August 2020.

> Benefits include:

- First-and-last mile. Microtransit connects people to the buses and trains that will then connect them to everything else, while taking single-occupancy cars off the road.

- Transit deserts. A transportation network in places that lack the population density necessary for efficient fixed-route buses or trains is difficult. Microtransit creates a more accessible service for riders in these areas.

- Equity and accessibility. Public transit is often a critical lifeline for seniors and people with disabilities.

Microtransit optimizes typically inefficient paratransit options, creating real-time bookings, higher quality service, and reducing trip costs with more efficient and equitable shared rides.

<https://ridewithvia.com/resources/articles/what-is-microtransit/>

CalShuttle: On-Demand, Point-to-Point, Fast, Safe Shared Autonomous Vehicles

Mike Forster

<https://www.knowledgewise.com>

mike.forster@knowledgewise.com

61

[Via2022d] Richmond launches electric, on-demand public transit service to expand transportation access in underserved neighborhoods, Via, Apr 18, 2022.

<https://ridewithvia.com/news/richmond-launches-electric-on-demand-public-transit-service-to-expand-transportation-access-in-underserved-neighborhoods/>

[Victor2023] Trent Victor et al; Safety Performance of the Waymo Rider-Only Automated Driving System at One Million Miles; Waymo, LLC; 2023.

> Waymo reports that the Waymo Automated Driving System (ADS) has resulted in a lower rate of both the frequency and severity of collisions as compared to the comparable National Highway Traffic Safety Administration's Crash Investigation Sampling System (CISS) comparable incidents.

<https://storage.googleapis.com/waymo-uploads/files/documents/safety/Safety%20Performance%20of%20Waymo%20RO%20at%201M%20miles.pdf>

[VitalSigns2018a] Commute Time, Vital Signs, MTC, 2018.

> SF Bay Area average commute time is 31 minutes.

<https://www.vitalsigns.mtc.ca.gov/commute-time>

[VTA2020a] VTA's BART Silicon Valley Phase II

> Phase II cost, from Berryessa through downtown San Jose to Santa Clara: \$6.9 billion.

<https://www.vta.org/projects/bart-sv/phase-ii>

[VTA2021a] VTA's BART Silicon Valley Phase II Extension Project: Project Benefits

> 55,000 average daily weekday riders.

https://www.vta.org/sites/default/files/2021-03/VTA-BSVII_BROCHURE_v23.pdf

[VTA2021b] Proposed Budget, Fiscal Year 2022 and Fiscal Year 2023, VTA, April 2021.

https://www.vta.org/sites/default/files/2021-04/VTA_ProposedBudget_FY22_23.pdf

[Wadud2017a] Zia Wadud, Fully automated vehicles: A cost of ownership analysis to inform early adoption, Science Direct, Transportation Research Part A: Policy and Practice, Volume 101, July 2017.

<https://eprints.whiterose.ac.uk/115936/1/TCO-accept%20manuscript-TRA.pdf>

[Wall2009a] Darden Lee Wall Jr., Parametric Estimating for Early Electric Substation Construction Cost, University of Texas at Austin, December 2009.

> Figure 5: Substation costs range from \$6.3 million to \$15.8 million, with an average of \$10.7 million.

<https://repositories.lib.utexas.edu/bitstream/handle/2152/ETD-UT-2009-12-455/WALL-MASTERS-REPORT.pdf?sequence=1&isAllowed=y>

[Waymo2020a] We heard what really matters to you when it comes to autonomous driving. - See what San Francisco had to say, Waymo, 2020.

> Would you ride in an autonomous vehicle if given the opportunity today?: Yes: 62 percent.

> Which aspect of autonomous driving is compelling for safety?: Non-driver doesn't drink - 56 percent; not distracted - 55; follows road rules - 54; perceive and respond to surroundings - 52; all of the above 31.

<https://ltad.com/sf-survey-results.html#results>

[Waymo2022j] Next Stop for Waymo One: Los Angeles, The Waymo Team, Oct 19, 2022.

> Waymo to start operating autonomous vehicles in Los Angeles in the coming months.

https://blog.waymo.com/2022/10/next-stop-for-waymo-one-los-angeles.html?utm_source=Iterable&utm_medium=email&utm_campaign=campaign_5316630

[Weijermars2022g] Wendy Weijermars et al, LEVITATE: Road safety impacts of Connected and Automated Vehicles, levitate, 2022.

<https://levitate-project.eu/wp-content/uploads/2021/06/Road-safety-impacts-of-Connected-and-Automated-Vehicles.pdf>

[Wenzel2019a] Tom Wenzel et al, Travel and Energy Implications of Ridesourcing Service in Austin, Texas, Lawrence Berkeley National Laboratory, 2019.

> RideAustin deadheading adds 35 percent to occupied passenger miles.

<https://www.osti.gov/pages/servlets/purl/1507290>

[WheelsBus2023i] RFI 2023-09 LAVTA Shared Autonomous Vehicles (SAV); Sep 14, 2023.

> Request for Information announcement for an upcoming "Shared Autonomous Vehicle (SAV) systems engineering project to explore the feasibility of deploying a first/last mile transit service in the vicinity of the East Dublin/Pleasanton Bay Area Rapid Transit (BART) station. This service would serve as a first/last-mile connector between the BART station and nearby business, residential, and commercial developments."

<https://wheelsbus.com/openrfp/rfi-2023-09-lavta-shared-autonomous-vehicles-sav/>

[Wiseman2017a] Yair Wiseman, Remote Parking for Autonomous Vehicles, gvpress, 2017.

> "Autonomous vehicles will change the land uses in the metropolitan areas. ... Many large parking lots can be shifted into alternative uses. ... the author claims that almost a third of the central area in major cities in the US is dedicated to parking."

> "... autonomous vehicle can drop passengers off at almost any location at any city and then instead of cruising for parking, the autonomous vehicle can park itself in a remote location in a rural fringe of the city where inexpensive land is more readily available. ... An autonomous vehicle can park in a tighter parking slot without having a collision with the nearby vehicle. ... the author calculates that an average parking can be reduced by 15% because of the compact parking slots."

https://gvpress.com/journals/IJHIT/vol10_no1/27.pdf

[Wiseman2019a] Yair Wiseman, Driverless Cars will Make Union Stations Obsolete, The Open Transportation Journal, 7 August 2019.

> "Driverless cars are much more comfortable and restful for passengers than public transportation. Moreover, union stations are not often in a close proximity of the passenger, so the passenger should use another means of transportation to arrive at a union station; whereas when using driverless cars there is no need for the hassle of these connections. As a result, driverless cars will gradually take control of the transportation market. As more and more driverless cars are on the roads, the union stations will slowly but surely fade away from our lives."

<https://pdfs.semanticscholar.org/1062/5603c3a7a0126b0ad7622ee7bdee58464064.pdf>

[Wittner2023d] Michael Wittner, Bay Area's First Autonomous Shuttles Debut At Bishop Ranch, Patch, Apr 25, 2023.

> Bishop Ranch business park driverless autonomous shuttles debut, with 4 stops on a limited route.

<https://patch.com/california/sanramon/bay-areas-first-autonomous-shuttles-debut-bishop-ranch>

[WSJ2020a] Avis Budget Group, WSJ, 2020.

> Avis Budget Group rental car company averaged 24.8 percent gross margin from 2016 to 2019.

<https://www.wsj.com/market-data/quotes/CAR/financials/annual/income-statement>

[Yoney2020a] Dominick Yoney, GM's Cruise Launches Origin, A Fully Autonomous Vehicle, Inside EVs, 21 January 2020.

> Sliding doors.

> Inexpensive to produce - about half the cost of an electric SUV in 2020, per Cruise CEO Dan Ammann.

<https://insideevs.com/news/394131/cruise-gm-autonomous-vehicle-reveal/>

[Zafar2022a] Farkhanda Zafar et al, Carpooling in Connected and Autonomous Vehicles: Current Solutions and Future Directions, ACM Computing Surveys, 2022.

> "Carpooling is poised to address the current issues in transportation such as car ownership, traffic management, transport economy, time management, to name a few. Furthermore, carpooling has been proved beneficial in traffic congestion control, the effect on the environment, economy, rush hour problems, and many more. However, these advantages have brought many challenges that the research community has tried to address, and the current carpooling service providers have adopted few. ... [These include] scheduling, pricing, and communication ... [and] security and privacy in carpooling."

<https://dl.acm.org/doi/pdf/10.1145/3501295>

[Zargary2023k] Shelli Zargary; How Much Electricity Does an Electric Car Use?; GenCell, 12 Nov 2023.

<https://www.gencellenergy.com/resources/blog/ev-charging-power-car-electricity-usage/>

.

10 Version History

Date	Version	Notes
19 February 2022	1.0	First edition.
1 March 2022	1.1	Expanded 2.8 to address work-from-home, other 2.x edits. Expanded 3.11 to address bicycles, reduced 3.9, eliminated 3.14. Added [Jaffe2015a, Thompson2022a]. Minor editing corrections.
6 March 2022	1.2	Expanded 6.2 and 6.5. Added [Jackson2019a], [Othman2022a]. Minor reformatting.
13 April 2022	1.3	Expanded 5.3 to address transit station proximity, with references García-Palomares2018a, FHA2022a, Kolka2011a, MWCOG2016a, Wiseman2019a]. Added [Othman2022b]. Reworded 3.11 title for better formatting. Minor reformatting and corrections.
16 January 2023	2.2	Moved some comments to different sections. Added comments from new references. Minor reformatting and corrections.
18 October 2023	3.3	Gathered cost avoidance saving and questions to section 7. Added and noted additional references. Minor reformatting and corrections.
28 January 2024	3.4	New references to studies, Bay Area initiatives added.
26 October 2025	3.6	Updated some analysis factors from recent publications. Added references from recent publications. Some reformatting.